


SkLO



Light





TWIN 1.0 SCONCE
Project: Oiji Mi Restaurant
Interior Design: AvroKO
Photography: Christian Harder

The desire to bring light to glass is irresistible. It is precisely this unique relationship with light that makes handblown glass so magical. It is this phenomenon that we explore in the designs of our Light Collection.

Our process of design and development is painstaking. We bring metal to the glass, to give structure and scale. Rather than an afterthought, it is the relationship between metal, glass, and light that drives our design process. Our designs seek to achieve harmony and balance between these materials, to give beautiful light. We achieve this through technology and complexity, but the light itself must seem natural and effortless.

In our Light Collection, our commitment to craft and handmade quality goes beyond the handblown glass. Our metals are substantial and solid. Exposed fasteners and expressed joints mark our work. Traditional metalsmithing, custom machining, hand-applied finishes, and careful attention to detail are the hallmarks of SkLO.

SkLO is a design and manufacturing company with locations in both California (SkLO US) and the Czech Republic (SKLO EU). We produce lighting to serve global markets, with certifications such as UL listing and CE marking.


SkLO

Angle 1.0

PENDANT



ANGLE 1.0 PENDANT
Shown in neutral gray textured glass and brushed brass metal finish



The designs of the Angle Pendants series combine dynamic, asymmetrical tubular brass structures with minimal handblown glass diffusers to create striking yet airy compositions perfect for large spaces and tall volumes. The Angle 1.0 Pendant is the simplest of the series, an inverted "V" which hints at symmetry but carefully defies it. The combination of two different-sized spherical glass diffusers – 180mm and 115mm – shifts the composition. Subtle variations in the weight of each handblown glass diffuser mean that the aspect of the pendant will have an inherent range – see drawings and specifications for more information on specifying overall drop length for this design. This is part of the design intent, adding depth and originality to every fixture.

Sockets 220-240V G9 7W Max (LED bulbs included)

Accommodates sloped ceilings up to 30 degrees. Other canopy options for steeper slopes are available at an additional cost. Visit the Accessories page on our website to see available canopy options and review compatibility.

Specify overall drop length – Rigid brass tube stems are not field adjustable – Note that due to intentional variations in the weight of the handblown glass diffusers, this light fixture has an inherent height dimension variation of 230mm – SkLO cannot guarantee overall drop length specifications beyond an approximate variation of ± 115 mm.

Minimum overall drop length: 1650mm

Lengths over 2285mm available at additional cost

Fixture weight (approximate): 7kg

Handblown glass production results in variation in dimensions, shape, color saturation, color tint, and imperfections such as small bubbles. This is part of SkLO design intent

Made in the Czech Republic

LT901 [---][--] Angle 1.0 Pendant

Dipped Glass colors

- Clear [CLR]
- New Blue [NBL]
- Olivin [OLV]
- Smoke [SMK]
- White [WHT]

Textured Glass colors

- Clear [TCL]
- Neutral Gray [NGT]
- Steel Blue [TSB]
- Whiskey [TWS]

Metal finishes

- Dark Oxidized [DX]
- Brushed Brass [BB]
- Brushed Nickel [BN]
- Polished Nickel [PN]


SkLO

Angle 2.0

PENDANT



ANGLE 2.0 PENDANT
Shown in smoke dipped glass and brushed brass metal finish



The designs of the Angle Pendants series combine dynamic, asymmetrical tubular brass structures with minimal handblown glass diffusers to create striking yet airy compositions perfect for large spaces and tall volumes. The Angle 2.0 Pendant combines three spherical glass diffusers positioned at the ends of arms of different lengths, which aim in different directions. The two larger 180mm diffusers contrast with the smaller 110mm diffuser. Its graceful composition suggests dynamic movement. Subtle variations in the weight of each handblown glass diffuser mean that the aspect of the pendant will have an inherent range – see drawings and specifications for more information on specifying overall drop length for this design. This is part of the design intent, adding depth and originality to every fixture.

Sockets 220-240V G9 7W Max (LED bulbs included)

Accommodates sloped ceilings up to 30 degrees. Other canopy options for steeper slopes are available at an additional cost. Visit the Accessories page on our website to see available canopy options and review compatibility.

Specify overall drop length – Rigid brass tube stems are not field adjustable – Note that due to intentional variations in the weight of the handblown glass diffusers, this light fixture has an inherent height dimension variation of 200mm – SkLO cannot guarantee overall drop length specifications beyond an approximate variation of ± 100 mm.

Minimum overall drop length: 1805mm

Lengths over 2490mm available at additional cost

Fixture weight (approximate): 10kg

Handblown glass production results in variation in dimensions, shape, color saturation, color tint, and imperfections such as small bubbles. This is part of SkLO design intent

Made in the Czech Republic

LT902 [---][--] Angle 2.0 Pendant

Dipped Glass colors
 Clear [CLR]
 New Blue [NBL]
 Olivin [OLV]
 Smoke [SMK]
 White [WHT]

Textured Glass colors
 Clear [TCL]
 Neutral Gray [NGT]
 Steel Blue [TSB]
 Whiskey [TWS]

Metal finishes
 Dark Oxidized [DX]
 Brushed Brass [BB]
 Brushed Nickel [BN]
 Polished Nickel [PN]


SkLO

Angle 3.0

PENDANT



ANGLE 3.0 PENDANT
Shown in white dipped glass and brushed brass metal finish



The designs of the Angle Pendants series combine dynamic, asymmetrical tubular brass structures with minimal handblown glass diffusers to create striking yet airy compositions perfect for large spaces and tall volumes. The Angle 3.0 Pendant combines three spherical glass diffusers positioned along a length of zigzag brass tubing. The single larger 180mm diffuser rests opposite the two smaller 110mm diffusers. The result is a calm, ethereal expression of graphic energy. Subtle variations in the weight of each handblown glass diffuser mean that the aspect of the pendant will have an inherent range – see drawings and specifications for more information on specifying overall drop length for this design. This is part of the design intent, adding depth and originality to every fixture.

Sockets 220-240V G9 7W Max (LED bulbs included)

Accommodates sloped ceilings up to 30 degrees. Other canopy options for steeper slopes are available at an additional cost. Visit the Accessories page on our website to see available canopy options and review compatibility.

Specify overall drop length – Rigid brass tube stems are not field adjustable – Note that due to intentional variations in the weight of the handblown glass diffusers, this light fixture has an inherent height dimension variation of 130mm – SkLO cannot guarantee overall drop length specifications beyond an approximate variation of ± 65 mm.

Minimum overall drop length: 1420mm

Lengths over 2110mm available at additional cost

Fixture weight (approximate): 9kg

Handblown glass production results in variation in dimensions, shape, color saturation, color tint, and imperfections such as small bubbles. This is part of SkLO design intent

Made in the Czech Republic

LT903 [---][--]	Angle 3.0 Pendant
Dipped Glass colors	<input type="radio"/> Clear [CLR] <input type="radio"/> New Blue [NBL] <input type="radio"/> Olivin [OLV] <input type="radio"/> Smoke [SMK] <input type="radio"/> White [WHT]
Textured Glass colors	<input type="radio"/> Clear [TCL] <input type="radio"/> Neutral Gray [NGT] <input type="radio"/> Steel Blue [TSB] <input type="radio"/> Whiskey [TWS]
Metal finishes	<input type="radio"/> Dark Oxidized [DX] <input type="radio"/> Brushed Brass [BB] <input type="radio"/> Brushed Nickel [BN] <input type="radio"/> Polished Nickel [PN]


SkLO

Balance 1.0

PENDANT



BALANCE 1.0/BALANCE 2.0 PENDANT
Shown in white dipped glass and brushed brass metal finish



CE EAC CB IP20

A minimal, sculptural suspended light composed of a larger, 180mm diffuser of handblown Czech glass on a short horizontal stem opposite a smaller, 110mm diffuser on a longer, downward arching stem. The glass diffusers are available in both "dipped" glass, featuring the SkLO double-dipped flame-polished mouth and "textured" glass, featuring a soft, frosted finish and subtle sculpted vertical ridges.

Sockets 220-240V G9 7W Max (LED bulbs included)

Standard canopy does NOT accommodate sloped ceilings or swagging of this light. Other canopy options are available at an additional cost. Visit the Accessories page on our website to see available canopy options and review compatibility

This fixture is compatible with one or more of SkLO customizable multi-pendant canopy systems. Visit the Accessories page on our website to see available systems and review compatibility

Fixture length:

Fixture includes our field-adjustable Standard Stem Kit (consists of (1) 152mm, (2) 305mm, and (1) 458mm combinable stem sections) – additional Stem Kits are available at additional cost

Our field-adjustable Extended Stem Kit is available at additional cost (consists of (1) 152mm, (1) 305mm, (1) 458mm, (1) 610mm and (1) 915mm combinable stem sections)

Custom cut-to-order stems (not field-adjustable) available – requires specified OAL (overall drop length) – minimum OAL 770mm. Lengths over 1840mm available at additional cost

Fixture weight (approximate): 5kg

Handblown glass production results in variation in dimensions, shape, color saturation, color tint, and imperfections such as small bubbles. This is part of SkLO design intent

Made in the Czech Republic

LT500 [---][---] Balance 1.0 Pendant

Dipped Glass colors

- Clear [CLR]
- New Blue [NBL]
- Olivin [OLV]
- Smoke [SMK]
- White [WHT]

Textured Glass colors

- Clear [TCL]
- Neutral Gray [NGT]
- Steel Blue [TSB]
- Whiskey [TWS]

Metal finishes

- Dark Oxidized [DX]
- Brushed Brass [BB]
- Brushed Nickel [BN]
- Polished Nickel [PN]


SkLO

Balance 2.0

PENDANT



BALANCE 2.0 PENDANT
Shown in 7"/180mm neutral gray textured glass, brushed brass metal finish



CE EAC CB IP20

Symmetrical downward curving arms hold glass diffusers of handblown Czech glass. Suspended on a rigid brass tube stem. The glass diffusers are available in three shapes and in both "dipped" glass, featuring the SkLO double-dipped flame-polished mouth and "textured" glass, featuring a soft, frosted finish and subtle sculpted vertical ridges.

Sockets 220-240V G9 7W Max (LED bulbs included)

Standard canopy does NOT accommodate sloped ceilings or swagging of this light. Other canopy options are available at an additional cost. Visit the Accessories page on our website to see available canopy options and review compatibility

This fixture is compatible with one or more of SkLO customizable multi-pendant canopy systems. Visit the Accessories page on our website to see available systems and review compatibility

Fixture length:

Fixture includes our field-adjustable Standard Stem Kit (consists of (1) 152mm, (2) 305mm, and (1) 458mm combinable stem sections) – additional Stem Kits are available at additional cost

Our field-adjustable Extended Stem Kit is available at additional cost (consists of (1) 152mm, (1) 305mm, (1) 458mm, (1) 610mm and (1) 915mm combinable stem sections)

Custom cut-to-order stems (not field-adjustable) available – requires specified OAL (overall drop length) – minimum OAL 770mm (LT502), 840mm (LT503), 760mm (LT504). Lengths over 1840mm (LT502), 1910mm (LT503), 1830mm (LT504) available at additional cost

Fixture weights (approximate): 7kg (LT502), 8kg (LT503), 7kg (LT504)

Handblown glass production results in variation in dimensions, shape, color saturation, color tint, and imperfections such as small bubbles. This is part of SkLO design intent

Made in the Czech Republic

LT502 [---][---]
LT503 [---][---]
LT504 [---][---]

110mm sphere glass
180mm sphere glass
150mm ellipsoid glass

Dipped Glass colors

○ Clear [CLR]
○ New Blue [NBL]
○ Olivin [OLV]
○ Smoke [SMK]
○ White [WHT]

Textured Glass colors

○ Clear [TCL]
○ Neutral Gray [NGT]
● Steel Blue [TSB]
○ Whiskey [TWS]

Metal finishes

● Dark Oxidized [DX]
○ Brushed Brass [BB]
● Brushed Nickel [BN]
○ Polished Nickel [PN]

SkLO


Crown

PENDANT

SkLO + AvroKO



CROWN PENDANT LONG
Shown in pastel green glass, dark oxidized metal finish



The Crown lighting series nestles groups of lit, handblown glass cylindrical shapes beneath supporting brass domes. The Crown Pendant arranges 4 lit opaque glass shapes beneath its dome. The tops of the glass shapes curve elegantly to share the geometry of the dome itself. The glass is available in 2 lengths. Available in multiple opaque glass colors and brass hardware finishes. Part of the SkLO + AvroKO collection – a collaboration between SkLO and the AvroKO Partners.

Sockets 220-240V G9 7W Max (LED bulbs included)

Requires recessed electrical box for installation

Standard canopy does NOT accommodate sloped ceilings or swagging of this light. Other canopy options are available at an additional cost. Visit the Accessories page on our website to see available canopy options and review compatibility

This fixture is compatible with one or more of SkLO customizable multi-pendant canopy systems. Visit the Accessories page on our website to see available systems and review compatibility

Fixture length:

Fixture includes our field-adjustable Standard Stem Kit (consists of (1) 152mm, (2) 305mm, and (1) 458mm combinable stem sections) – additional Stem Kits are available at additional cost

Our field-adjustable Extended Stem Kit is available at additional cost (consists of (1) 152mm, (1) 305mm, (1) 458mm, (1) 610mm and (1) 915mm combinable stem sections)

Custom cut-to-order stems (not field-adjustable) available – requires specified OAL (overall drop length) – minimum OAL 540mm (LT633) and 635mm (LT634). Lengths over 1610mm (LT633) and 1705mm (LT634) available at additional cost

Fixture weight (approximate): 9kg

Handblown glass production results in variation in dimensions, shape, color saturation, color tint, and imperfections such as small bubbles. This is part of SkLO design intent

Made in the Czech Republic

LT633 [---][--]
LT634 [---][--]

Short
Long

Glass colors

Light Beige [LBE]
Pastel Green [PAG]
White [WHT]

Metal finishes

Dark Oxidized [DX]
Antique Brass [AB]
Brushed Brass [BB]

SkLO

Crown


CHANDELIER

SkLO + AvroKO



CROWN CHANDELIER

Shown in white/smoke frosted glass, dark oxidized metal finish



The Crown lighting series nestles groups of lit, handblown glass cylindrical shapes beneath supporting brass domes. The Crown Chandelier is a substantial, sculptural statement piece. A ring of 8 smaller opaque glass shapes around the perimeter of the dome surrounds a central larger frosted glass shape. The tops of the glass shapes curve elegantly to share the geometry of the dome itself. Available in multiple glass color combinations and brass hardware finishes. Part of the SkLO + AvroKO collection – a collaboration between SkLO and the AvroKO Partners.

Sockets 220-240V G9 7W Max (LED bulbs included)

Requires recessed electrical box for installation

Standard canopy does NOT accommodate sloped ceilings or swagging of this light. Other canopy options are available at an additional cost. Visit the Accessories page on our website to see available canopy options and review compatibility

This fixture is compatible with one or more of SkLO customizable multi-pendant canopy systems. Visit the Accessories page on our website to see available systems and review compatibility

Fixture length:

Fixture includes our field-adjustable Standard Stem Kit (consists of (1) 152mm, (2) 305mm, and (1) 458mm combinable stem sections) – additional Stem Kits are available at additional cost

Our field-adjustable Extended Stem Kit is available at additional cost (consists of (1) 152mm, (1) 305mm, (1) 458mm, (1) 610mm and (1) 915mm combinable stem sections)

Custom cut-to-order stems (not field-adjustable) available – requires specified OAL (overall drop length) – minimum OAL 700mm. Lengths over 1770mm available at additional cost

Fixture weight (approximate): 18kg

Handblown glass production results in variation in dimensions, shape, color saturation, color tint, and imperfections such as small bubbles. This is part of SkLO design intent

Made in the Czech Republic

LT635 [-----][--] Crown Chandelier

Glass colors

- Light Beige/Olivin Frosted [LBEFOL]
- Pastel Green/Pine Green Frosted [PAGFPG]
- White/Smoke Frosted [WHTFSM]

Metal finishes


- Antique Brass [AB]
- Dark Oxidized [DX]
- Brushed Brass [BB]



DEW PENDANT
SkLO, Salone del Mobile 2019



DEW PENDANT
Shown in clear and clear frosted glass, brushed brass metal finish



CE EAC CB IP20

The Dew Pendant is an intense expression of the molten origins of handblown glass. For a diffuser, the Dew Pendant features a solid sculpted glass shape composed of layers of glass applied while hot, giving it a dripping appearance. The glass is permanently affixed to the solid brass armature, hidden behind a minimal brass cylinder, which lifts to give access to the bulb. The fixture uplights slightly through the open top of the cylinder. The glass diffuser is available in either clear glass, or frosted clear glass, for two very different effects.

Socket 220-240V G9 7W Max (LED bulb included)

Standard canopy does NOT accommodate sloped ceilings or swagging of this light. Other canopy options are available at an additional cost. Visit the Accessories page on our website to see available canopy options and review compatibility

This fixture is compatible with one or more of SkLO customizable multi-pendant canopy systems. Visit the Accessories page on our website to see available systems and review compatibility

Fixture length:

Fixture includes our field-adjustable Standard Stem Kit (consists of (1) 152mm, (2) 305mm, and (1) 458mm combinable stem sections) – additional Stem Kits are available at additional cost

Our field-adjustable Extended Stem Kit is available at additional cost (consists of (1) 152mm, (1) 305mm, (1) 458mm, (1) 610mm and (1) 915mm combinable stem sections)

Custom cut-to-order stems (not field-adjustable) available – requires specified OAL (overall drop length) – minimum OAL 450mm. Lengths over 1520mm available at additional cost

Fixture weight (approximate): 5kg


Handblown glass production results in variation in dimensions, shape, color saturation, color tint, and imperfections such as small bubbles. This is part of SkLO design intent

Made in the Czech Republic

LT410 [---][--]	Dew Pendant
Glass colors	<input type="radio"/> Clear [CLR] <input type="radio"/> Clear Frosted [FCL]
Metal finishes	<input checked="" type="radio"/> Dark Oxidized [DX] <input type="radio"/> Brushed Brass [BB] <input type="radio"/> Brushed Nickel [BN] <input type="radio"/> Polished Nickel [PN]



DEW SCONCE
Shown in clear frosted glass, brushed brass metal finish, north-american canopy



CE EAC CB IP20

The Dew Sconce is an intense expression of the molten origins of handblown glass. For a diffuser, the Dew Sconce features a solid sculpted glass shape composed of layers of glass applied while hot, giving it a dripping appearance. The glass is permanently affixed to the solid brass armature, hidden behind a minimal brass cylinder, which lifts to give access to the bulb. The fixture uplights slightly through the open top of the cylinder. The glass diffuser is available in either clear glass, or frosted clear glass, for two very different effects.

Socket 220-240V G9 7W Max (LED bulb included)

Fixture weight (approximate): 3kg

Handblown glass production results in variation in dimensions, shape, color saturation, color tint, and imperfections such as small bubbles. This is part of SkLO design intent

Made in the Czech Republic

LT412 [---][--]

Dew Sconce

Glass colors


Clear [CLR]
 Clear Frosted [FCL]

Metal finishes

Dark Oxidized [DX]
 Brushed Brass [BB]
 Brushed Nickel [BN]
 Polished Nickel [PN]



DOME LIGHT
Shown in white frosted glass, brushed brass metal finish



CE EAC CB IP20

A large dome of handblown Czech glass with a frosted finish rests atop a custom base made of vertical solid brass plates. A brass ring fits onto the base as a seat for the glass dome. Imposing in size, it can work on large furniture, or the floor, depending on the decor. While large, the softness of the frosted glass and minimal presence of the base make it approachable and compelling.

Socket 220-240V E27 60W Max (LED bulb included)

1830mm black fabric-wrapped cord with in-line switch

Handblown glass production results in variation in dimensions, shape, color saturation, color tint, and imperfections such as small bubbles. This is part of SkLO design intent

Made in the Czech Republic

LT337 [---][-]

Dome Light

Glass colors

- Clear Frosted [FCL]
- Olivin Frosted [FOL]
- Smoke Frosted [FSM]
- White Frosted [FWT]

Metal finishes

- Dark Oxidized [DX]
- Brushed Brass [BB]
- Brushed Nickel [BN]
- Polished Nickel [PN]

SkLO


Dome 17

PENDANT



DOME 17 PENDANT

Shown in clear frosted glass, with small chain in brushed brass metal finish, black cord



Large domes of handblown Czech glass with a frosted finish are suspended on lengths of oversized brass chains. An exposed fabric-wrapped electrical cord runs through the chain from canopy to light.

Socket 220-240V E27 60W Max (LED bulb included)

Accommodates sloped ceilings

Field adjustable – comes standard with either 12 large or 18 small chain links or approximately 910mm of chain – additional chain links available in either 4- or 6-link (approx 300mm) increments at additional cost

Fixture weight (approximate): 7kg

Handblown glass production results in variation in dimensions, shape, color saturation, color tint, and imperfections such as small bubbles. This is part of SkLO design intent

Made in the Czech Republic

LT330 [---][--]
LT331 [---][--]

Small chain
Large chain

Glass colors
○ Clear Frosted [FCL]
● Olivin Frosted [FOL]
● Smoke Frosted [FSM]
○ White Frosted [FWT]

Metal finishes

● Dark Oxidized [DX]
● Brushed Brass [BB]
● Brushed Nickel [BN]
○ Polished Nickel [PN]

Cord colors

● Black
● Blue
● Gold
● Gray

SkLO


Dome 22

PENDANT



DOME 22 PENDANT

Shown in clear frosted glass, with large chain in dark oxidized metal finish, black cord



Large domes of handblown Czech glass with a frosted finish are suspended on lengths of oversized brass chains. An exposed fabric-wrapped electrical cord runs through the chain from canopy to light.

Socket 220-240V E27 60W Max (LED bulb included)

Accommodates sloped ceilings

Field adjustable – comes standard with either 12 large or 18 small chain links or approximately 910mm of chain – additional chain links available in either 4- or 6-link (approx 300mm) increments at additional cost

Fixture weight (approximate): 17kg

Handblown glass production results in variation in dimensions, shape, color saturation, color tint, and imperfections such as small bubbles. This is part of SkLO design intent

Made in the Czech Republic

LT332 [---][--]
LT333 [---][--]

Small chain
Large chain

Clear Frosted [FCL]
 Olivin Frosted [FOL]
 Smoke Frosted [FSM]
 White Frosted [FWT]

Glass colors

Dark Oxidized [DX]
 Brushed Brass [BB]
 Brushed Nickel [BN]
 Polished Nickel [PN]

Metal finishes

Black
 Blue
 Gold
 Gray


Cord colors



SkLO
Dome
SCONCE



DOME SCONCE
Shown in smoke frosted glass, brushed brass metal finish, black cord



A dome of handblown Czech glass with a frosted finish is suspended on a length of custom brass chain. An exposed, fabric-wrapped electrical cord runs through the chain from the canopy to the glass dome.

Socket 220-240V G9 7W Max (LED bulb included)

Field adjustable – comes standard with 8 chain links or approximately 410mm of chain – additional chain links available in 6-link (approx 300mm) increments at additional cost. Maximum length of chain 6 000mm.

Fixture weight (approximate): 2.75kg

Handblown glass production results in variation in dimensions, shape, color saturation, color tint, and imperfections such as small bubbles. This is part of SkLO design intent

Made in the Czech Republic

LT334 [---][--] Dome Sconce

Glass colors
 Clear Frosted [FCL]
 Olivin Frosted [FOL]
 Smoke Frosted [FSM]
 White Frosted [FWT]

Metal finishes
 Dark Oxidized [DX]
 Brushed Brass [BB]
 Brushed Nickel [BN]
 Polished Nickel [PN]

Cord colors
 Black
 Blue
 Gold
 Gray


SkLO

Dot 1X

SCONCE/CEILING



DOT 1X SCONCE/CEILING
Shown in apricot glass, brushed brass metal finish



A flattened sphere of lit, handblown glass centered on a circular canopy, Dot 1X is minimal in form but offers a variety of color options. The glass diffuser is available in 9 different opaque colors, including white.

Socket 220-240V G9 7W Max (LED bulb included)

Fixture weight (approximate): 1kg

Handblown glass production results in variation in dimensions, shape, color saturation, color tint, and imperfections such as small bubbles. This is part of SkLO design intent

Made in the Czech Republic

LTD1 [---][--]

Dot 1X Sconce/Ceiling

Glass colors

- Apricot [APR]
- Celadon [CEL]
- Flamingo [FLA]
- Light Beige [LBE]
- Linden Tree Green [LTG]
- New Blue [NBL]
- Oyster [OYS]
- Pastel Green [PAG]
- White [WHT]

Metal finishes

- Dark Oxidized [DX]
- Brushed Brass [BB]
- Brushed Nickel [BN]
- Polished Nickel [PN]



32

Copyright © December 2025 sklo.com

sklo.com/dot1X-sconce-ceiling



33

Copyright © December 2025 sklo.com


SkLO

Dot 2X

SCONCE/CEILING



DOT 2X SCONCE/CEILING
Shown in oyster and white glass, brushed brass metal finish, shown "off"



A pair of flattened spheres of lit, handblown glass on a circular canopy, Dot 2X is minimal in form but offers a variety of color options. The glass diffusers are available in any possible combination of 9 different opaque colors, including white.

Sockets 220-240V G9 7W Max (LED bulbs included)

Fixture weight (approximate): 1.3kg

Handblown glass production results in variation in dimensions, shape, color saturation, color tint, and imperfections such as small bubbles. This is part of SkLO design intent

Made in the Czech Republic

LTD2 [-----][--] Dot 2X Sconce/Ceiling

Glass colors

- Apricot [APR]
- Celadon [CEL]
- Flamingo [FLA]
- Light Beige [LBE]
- Linden Tree Green [LTG]
- New Blue [NBL]
- Oyster [OYS]
- Pastel Green [PAG]
- White [WHT]

Metal finishes

- Dark Oxidized [DX]
- Brushed Brass [BB]
- Brushed Nickel [BN]
- Polished Nickel [PN]



34

Copyright © December 2025 sklo.com

sklo.com/dot2X-sconce-ceiling




35

Copyright © December 2025 sklo.com

SkLO
Dot 3X
SCONCE/CEILING



DOT 3X SCONCE/CEILING
 Shown in light beige, oyster and white glass, brushed brass metal finish, shown "off"



Three flattened spheres of lit, handblown glass on a circular canopy, Dot 3X is minimal in form but offers a variety of color options. The three glass diffusers are available in any possible combination of 9 different opaque colors, including white.

Sockets 220-240V G9 7W Max (LED bulbs included)

Requires recessed electrical box for installation

Fixture weight (approximate): 1.5kg

Handblown glass production results in variation in dimensions, shape, color saturation, color tint, and imperfections such as small bubbles. This is part of SkLO design intent

Made in the Czech Republic

LTD3 [-----][--] Dot 3X Sconce/Ceiling

Glass colors

- Apricot [APR]
- Celadon [CEL]
- Flamingo [FLA]
- Light Beige [LBE]
- Linden Tree Green [LTG]
- New Blue [NBL]
- Oyster [OYS]
- Pastel Green [PAG]
- White [WHT]

Metal finishes

- Dark Oxidized [DX]
- Brushed Brass [BB]
- Brushed Nickel [BN]
- Polished Nickel [PN]

SkLO


Drape

PENDANT



DRAPE PENDANT

Shown in 4.5"/110mm and 7"/180mm white dipped glass, brushed brass metal finish, gold cord



CE EAC CB IP20

This minimalist pendant features a single diffuser of handblown Czech glass suspended on a fabric-wrapped electrical cord. The glass diffusers are available in three shapes and in both "dipped" glass, featuring the SkLO double-dipped flame-polished mouth and "textured" glass, featuring a soft, frosted finish and subtle sculpted vertical ridges. Cord length is field adjustable.

Socket 220-240V G9 7W Max (LED bulb included)

Accommodates sloped ceilings

This fixture is compatible with one or more of SkLO customizable multi-pendant canopy systems. Visit the Accessories page on our website to see available systems and review compatibility

Field adjustable – Standard cord length 3050mm – longer lengths available at additional cost

Fixture weights (approximate): 1.4kg (LT160), 2.0kg (LT161), 1.4kg (LT162)

Handblown glass production results in variation in dimensions, shape, color saturation, color tint, and imperfections such as small bubbles. This is part of SkLO design intent

Made in the Czech Republic

LT160 [---][--]
LT161 [---][--]
LT162 [---][--]

110mm sphere glass
180mm sphere glass
150mm ellipsoid glass

Dipped Glass colors

- Clear [CLR]
- New Blue [NBL]
- Olivin [OLV]
- Smoke [SMK]
- White [WHT]

Textured Glass colors

- Clear [TCL]
- Neutral Gray [NGT]
- Steel Blue [TSB]
- Whiskey [TWS]

Metal finishes

- Dark Oxidized [DX]
- Brushed Brass [BB]
- Brushed Nickel [BN]
- Polished Nickel [PN]

Cord colors

- Black
- Blue
- Gold
- Gray


SkLO

Drape Arm 1.09

SCONCE



DRAPE ARM 1.09 SCONCE
Shown in 7"/180mm white dipped glass, dark oxidized metal finish, black cord, north-american canopy



The Drape Arm 1.09 Sconce is a single diffuser of handblown Czech glass suspended from a moveable 230mm arm. The glass diffusers are available in three shapes and in both "dipped" glass, featuring the SkLO double-dipped flame-polished mouth and "textured" glass, featuring a soft, frosted finish and subtle sculpted vertical ridges. They are suspended from the arm on a fabric-wrapped electrical cord. The exposed cord passes through the end of the arm and returns to the canopy at the wall. Solid brass construction throughout, the arm is hinged for a full 180-degree swing.

Socket 220-240V G9 7W Max (LED bulb included)

Field adjustable – Standard cord length 1830mm – longer lengths available at additional cost

Fixture weights (approximate): 2kg (LT363), 3kg (LT364), 2kg (LT390)

Handblown glass production results in variation in dimensions, shape, color saturation, color tint, and imperfections such as small bubbles. This is part of SkLO design intent

Made in the Czech Republic

LT363 [---][-]
LT364 [---][-]
LT390 [---][-]

110mm sphere glass
180mm sphere glass
150mm ellipsoid glass

Dipped Glass colors

- Clear [CLR]
- New Blue [NBL]
- Olivin [OLV]
- Smoke [SMK]
- White [WHT]

Textured Glass colors

- Clear [TCL]
- Neutral Gray [NGT]
- Steel Blue [TSB]
- Whiskey [TWS]

Metal finishes

- Dark Oxidized [DX]
- Brushed Brass [BB]
- Brushed Nickel [BN]
- Polished Nickel [PN]

Cord colors

- Black
- Blue
- Gold
- Gray


SkLO

Drape Arm 1.18

SCONCE



DRAPE ARM 1.18 SCONCE
Shown in 4"/110mm new blue dipped glass, brushed brass metal finish, black cord, north-american canopy



CE EAC CB IP20

The Drape Arm 1.18 Sconce is a single diffuser of handblown Czech glass suspended from a moveable 460mm arm. The glass diffusers are available in three shapes and in both "dipped" glass, featuring the SkLO double-dipped flame-polished mouth and "textured" glass, featuring a soft, frosted finish and subtle sculpted vertical ridges. They are suspended from the arm on a fabric-wrapped electrical cord. The exposed cord passes through the end of the arm and returns to the canopy at the wall. Solid brass construction throughout, the arm is hinged for a full 180-degree swing.

Socket 220-240V G9 7W Max (LED bulb included)

Standard cord length 1830mm – field adjustable – longer lengths available at additional cost

Fixture weights (approximate): 2.3kg (LT361), 3.2kg (LT362), 2.3kg (LT391)

Handblown glass production results in variation in dimensions, shape, color saturation, color tint, and imperfections such as small bubbles. This is part of SkLO design intent

Made in the Czech Republic

LT361 [---][--] 110mm sphere glass
LT362 [---][--] 180mm sphere glass
LT391 [---][--] 150mm ellipsoid glass

Dipped Glass colors
○ Clear [CLR]
○ New Blue [NBL]
○ Olivin [OLV]
● Smoke [SMK]
○ White [WHT]

Textured Glass colors
○ Clear [TCL]
○ Neutral Gray [NGT]
● Steel Blue [TSB]
○ Whiskey [TWS]

Metal finishes
● Dark Oxidized [DX]
○ Brushed Brass [BB]
○ Brushed Nickel [BN]
○ Polished Nickel [PN]

Cord colors
● Black
● Blue
● Gold
○ Gray



DRAPE ARM 3 CHANDELIER
Meridiani, Salone del Mobile 2019
Interior Design: Andrea Parisio


SkLO

Drape Arm 3

CHANDELIER



DRAPE ARM 3 CHANDELIER
Shown in 4.5"/110mm smoke dipped glass, brushed brass metal finish, black cord



CE EAC CB IP20

The Drape Arm 3 Chandelier consists of 3 individual pendants suspended from a 3-spoke brass armature suspended from a single canopy. The glass diffusers are available in three shapes and in both "dipped" glass, featuring the SkLO double-dipped flame-polished mouth and "textured" glass, featuring a soft, frosted finish and subtle sculpted vertical ridges. The exposed cords drape gracefully from the canopy and are suspended from the ends of the arms.

Sockets 220-240V G9 7W Max (LED bulbs included)

Standard canopy does NOT accommodate sloped ceilings or swagging of this light. Other canopy options are available at an additional cost. Visit the Accessories page on our website to see available canopy options and review compatibility

Fixture length:

Fixture includes our field-adjustable Standard Stem Kit (consists of (1) 152mm, (2) 305mm, and (1) 458mm combinable stem sections) – additional Stem Kits are available at additional cost

Our field-adjustable Extended Stem Kit is available at additional cost (consists of (1) 152mm, (1) 305mm, (1) 458mm, (1) 610mm and (1) 915mm combinable stem sections)

Custom cut-to-order stems (not field-adjustable) available – requires specified OAL (overall drop length) – minimum OAL 605mm. Lengths over 1675mm available at additional cost

See Drape Arm Chandeliers Specification Guide for ordering of other than the "standard composition" of this light

Fixture weights (approximate): 7kg (LT360), 9kg (LT359), 7kg (LT392)

Handblown glass production results in variation in dimensions, shape, color saturation, color tint, and imperfections such as small bubbles. This is part of SkLO design intent

Made in the Czech Republic

LT360 [---][--] 110mm sphere glass
LT359 [---][--] 180mm sphere glass
LT392 [---][--] 150mm ellipsoid glass

Dipped Glass colors
○ Clear [CLR]
● New Blue [NBL]
● Olivin [OLV]
● Smoke [SMK]
○ White [WHT]

Textured Glass colors
○ Clear [TCL]
● Neutral Gray [NGT]
● Steel Blue [TSB]
● Whiskey [TWS]

Metal finishes
● Dark Oxidized [DX]
● Brushed Brass [BB]
● Brushed Nickel [BN]
○ Polished Nickel [PN]

Cord colors
● Black
● Blue
● Gold
● Gray


SkLO

Drape Arm 6

CHANDELIER



DRAPE ARM 6 CHANDELIER
Shown in 4.5"/110mm smoke dipped glass, dark oxidized metal finish, black cord



CE EAC CB IP20

The Drape Arm 6 Chandelier consists of 6 individual pendants suspended in a circle from a 6-spoke brass armature suspended in turn by a rigid brass stem. The glass diffusers are available in three shapes and in both "dipped" glass, featuring the SkLO double-dipped flame-polished mouth and "textured" glass, featuring a soft, frosted finish and subtle sculpted vertical ridges. Each pendant is suspended on a fabric-wrapped electrical cord. The exposed cords drape gracefully from the canopy and are suspended from the ends of the arms.

Sockets 220-240V G9 7W Max (LED bulbs included)

Standard canopy does NOT accommodate sloped ceilings or swagging of this light. Other canopy options are available at an additional cost. Visit the Accessories page on our website to see available canopy options and review compatibility

Fixture length:

Fixture includes our field-adjustable Standard Stem Kit (consists of (1) 152mm, (2) 305mm, and (1) 458mm combinable stem sections) – additional Stem Kits are available at additional cost

Our field-adjustable Extended Stem Kit is available at additional cost (consists of (1) 152mm, (1) 305mm, (1) 458mm, (1) 610mm and (1) 915mm combinable stem sections)

Custom cut-to-order stems (not field-adjustable) available – requires specified OAL (overall drop length) – minimum OAL 605mm. Lengths over 1675mm available at additional cost

See Drape Arm Chandeliers Specification Guide for ordering of other than the "standard composition" of this light

Fixture weights (approximate): 9kg (LT369), 11kg (LT374), 9kg (LT393)

Handblown glass production results in variation in dimensions, shape, color saturation, color tint, and imperfections such as small bubbles. This is part of SkLO design intent

Made in the Czech Republic

LT369 [---][---]
LT374 [---][---]
LT393 [---][---]

110mm sphere glass

180mm sphere glass

150mm ellipsoid glass

Dipped Glass colors

- Clear [CLR]
- New Blue [NBL]
- Olivin [OLV]
- Smoke [SMK]
- White [WHT]

Textured Glass colors

- Clear [TCL]
- Neutral Gray [NGT]
- Steel Blue [TSB]
- Whiskey [TWS]

Metal finishes

- Dark Oxidized [DX]
- Brushed Brass [BB]
- Brushed Nickel [BN]
- Polished Nickel [PN]

Cord colors

- Black
- Blue
- Gold
- Gray


SkLO

Drape Arm 8

CHANDELIER



DRAPE ARM 8 CHANDELIER
Shown in 4.5"/110mm smoke dipped glass, dark oxidized metal finish, black cord



The Drape Arm 8 Chandelier consists of 8 individual pendants suspended in an oval pattern from an 8-spoke brass armature suspended in turn by a rigid brass stem. The glass diffusers are available in three shapes and in both "dipped" glass, featuring the SkLO double-dipped flame-polished mouth and "textured" glass, featuring a soft, frosted finish and subtle sculpted vertical ridges. Each pendant is suspended on a fabric-wrapped electrical cord. The exposed cords drape gracefully from the canopy and are suspended from the ends of the arms.

Sockets 220-240V G9 7W Max (LED bulbs included)

Standard canopy does NOT accommodate sloped ceilings or swagging of this light. Other canopy options are available at an additional cost. Visit the Accessories page on our website to see available canopy options and review compatibility

Fixture length:

Fixture includes our field-adjustable Standard Stem Kit (consists of (1) 152mm, (2) 305mm, and (1) 458mm combinable stem sections) – additional Stem Kits are available at additional cost

Our field-adjustable Extended Stem Kit is available at additional cost (consists of (1) 152mm, (1) 305mm, (1) 458mm, (1) 610mm and (1) 915mm combinable stem sections)

Custom cut-to-order stems (not field-adjustable) available – requires specified OAL (overall drop length) – minimum OAL 605mm. Lengths over 1675mm available at additional cost

See Drape Arm Chandeliers Specification Guide for ordering of other than the "standard composition" of this light

Fixture weights (approximate): 11kg (LT376), 14kg (LT377), 11kg (LT394)

Handblown glass production results in variation in dimensions, shape, color saturation, color tint, and imperfections such as small bubbles. This is part of SkLO design intent

Made in the Czech Republic

LT376 [---][--] 110mm sphere glass
LT377 [---][--] 180mm sphere glass
LT394 [---][--] 150mm ellipsoid glass

Dipped Glass colors
○ Clear [CLR]
 ● New Blue [NBL]
 ● Olivin [OLV]
 ● Smoke [SMK]
 ○ White [WHT]

Textured Glass colors
○ Clear [TCL]
 ○ Neutral Gray [NGT]
 ● Steel Blue [TSB]
 ● Whiskey [TWS]


Metal finishes
● Dark Oxidized [DX]
 ● Brushed Brass [BB]
 ● Brushed Nickel [BN]
 ○ Polished Nickel [PN]

Cord colors
● Black
 ● Blue
 ● Gold
 ○ Gray

SkLO
Drape Circle 18
 CHANDELIER



DRAPE CIRCLE 28 CHANDELIER
 Shown in white dipped glass, dark oxidized metal finish, black cord



CE EAC CB IP20

The Drape Circle 18 Chandelier consists of 18 individual pendants gathered and supported by a series of three brass rings. Each pendant features a 110mm diameter diffuser of handblown Czech glass suspended on a fabric-wrapped electrical cord. The cords pass through the rings and support the rings. The glass diffusers are available in both "dipped" glass, featuring the SkLO double-dipped flame-polished mouth and "textured" glass, featuring a soft, frosted finish and subtle sculpted vertical ridges. Cord lengths are field adjustable. Multiple compositions possible – see the installation instructions for dimensions and information on the SkLO standard composition of this fixture.

Sockets 220-240V G9 7W Max (LED bulbs included)

Not recommended for sloped ceilings

Field assembly + composition during installation is standard – see installation instructions – SkLO will pre-assemble + compose fixture to specification on request (pre-assembled fixtures not field adjustable)

Standard cord length 3050mm – field adjustable – longer lengths available at additional cost

Fixture weight (approximate): 41kg

Handblown glass production results in variation in dimensions, shape, color saturation, color tint, and imperfections such as small bubbles. This is part of SkLO design intent

Made in the Czech Republic

LT285 [---] Drape Circle 18 Chandelier

Dipped Glass colors

- Clear [CLR]
- New Blue [NBL]
- Olivin [OLV]
- Smoke [SMK]
- White [WHT]

Textured Glass colors


- Clear [TCL]
- Neutral Gray [NGT]
- Steel Blue [TSB]
- Whiskey [TWS]

Metal finishes

- Dark Oxidized [DX]
- Brushed Brass [BB]
- Brushed Nickel [BN]
- Polished Nickel [PN]

Cord colors

- Black
- Blue
- Gold
- Gray




SkLO

Drape Circle 28

CHANDELIER



DRAPE CIRCLE 28 CHANDELIER
Shown in elongated composition (14'/4260mm overall drop length) in white dipped glass, dark oxidized metal finish, black cord



CE EAC CB IP20

The Drape Circle 28 Chandelier consists of 28 individual pendants gathered and supported by a series of tiered brass rings. Each pendant features a 110mm diameter diffuser of handblown Czech glass suspended on a fabric-wrapped electrical cord. The cords pass through and are connected to the rings. The glass diffusers are available in both "dipped" glass, featuring the SkLO double-dipped flame-polished mouth and "textured" glass, featuring a soft, frosted finish and subtle sculpted vertical ridges. Cord lengths are field adjustable. Multiple compositions possible – see the installation instructions for dimensions and information on the SkLO standard composition of this fixture.

Sockets 220-240V G9 7W Max (LED bulbs included)

Not recommended for sloped ceilings

Field assembly + composition during installation is standard – see installation instructions – SkLO will pre-assemble + compose fixture to specification on request (pre-assembled fixtures not field adjustable)

Standard cord length 3050mm – field adjustable – longer lengths available at additional cost

Fixture weight (approximate): 82kg

Handblown glass production results in variation in dimensions, shape, color saturation, color tint, and imperfections such as small bubbles. This is part of SkLO design intent

Made in the Czech Republic

LT286 [---] Drape Circle 28 Chandelier

Dipped Glass colors

- Clear [CLR]
- New Blue [NBL]
- Olivin [OLV]
- Smoke [SMK]
- White [WHT]

Textured Glass colors

- Clear [TCL]
- Neutral Gray [NGT]
- Steel Blue [TSB]
- Whiskey [TWS]

Metal finishes

- Dark Oxidized [DX]
- Brushed Brass [BB]
- Brushed Nickel [BN]
- Polished Nickel [PN]

Cord colors

- Black
- Blue
- Gold
- Gray



DRAPE COMPOSITION 1 PENDANT
Project: Van der Valk Hotel, Deventer, Netherlands
Interior Design: Marco Bolderheij
Photography: Denise Zwijnen


SkLO

Drape Composition 1

PENDANT



DRAPE COMPOSITION 1 PENDANT
Shown in white dipped glass, brushed brass metal finish, gold cord



CE EAC CB IP20

The Drape Composition 1 is a multi-pendant fixture with 2 pendants suspended from a single canopy. Each pendant is suspended on a fabric-wrapped electrical cord. The center pendant hangs straight down from the canopy and features a 180mm diameter diffuser of handblown glass. The outer pendant is swagged to a ceiling hook (included) and features a smaller, 110mm diameter diffuser of handblown glass. The glass diffusers are available in both "dipped" glass, featuring the SkLO double-dipped flame-polished mouth and "textured" glass, featuring a soft, frosted finish and subtle sculpted vertical ridges. Cord lengths are field adjustable.

Sockets 220-240V G9 7W Max (LED bulbs included)

Accommodates sloped ceilings

Standard cord length 3050mm – field adjustable – longer lengths available at additional cost

Fixture weight (approximate): 3.5kg

Handblown glass production results in variation in dimensions, shape, color saturation, color tint, and imperfections such as small bubbles. This is part of SkLO design intent

Made in the Czech Republic

LT181 [- -] [- -] Drape Composition 1 Pendant

Dipped Glass colors

- Clear [CLR]
- New Blue [NBL]
- Olivin [OLV]
- Smoke [SMK]
- White [WHT]

Textured Glass colors

- Clear [TCL]
- Neutral Gray [NGT]
- Steel Blue [TSB]
- Whiskey [TWS]

Metal finishes

- Dark Oxidized [DX]
- Brushed Brass [BB]
- Brushed Nickel [BN]
- Polished Nickel [PN]

Cord colors

- Black
- Blue
- Gold
- Gray

SkLO

Drape Composition 2

PENDANT



DRAPE COMPOSITION 2 PENDANT
Shown in clear dipped glass, dark oxidized metal finish, black cord

CE EAC CB IP20

The Drape Composition 2 is a multi-pendant fixture with 3 pendants suspended from a single canopy. Each pendant is suspended on a fabric-wrapped electrical cord. The center pendant hangs straight down from the canopy and features a 180mm diameter sphere of handblown glass. The outer pendants are swagged to ceiling hooks (included) – one features a smaller, 110mm diameter sphere of handblown glass and the other a 150mm diameter ellipsoid of handblown glass. The glass diffusers are available in both "dipped" glass, featuring the SkLO double-dipped flame-polished mouth and "textured" glass, featuring a soft, frosted finish and subtle sculpted vertical ridges. Cord lengths are field adjustable.

Sockets 220-240V G9 7W Max (LED bulbs included)


Accommodates sloped ceilings

Standard cord length 3050mm – field adjustable – longer lengths available at additional cost

Fixture weight (approximate): 5kg

Handblown glass production results in variation in dimensions, shape, color saturation, color tint, and imperfections such as small bubbles. This is part of SkLO design intent

Made in the Czech Republic



LT182 [---][--] Drape Composition 2 Pendant

Dipped Glass colors

- Clear [CLR]
- New Blue [NBL]
- Olivin [OLV]
- Smoke [SMK]
- White [WHT]

Textured Glass colors

- Clear [TCL]
- Neutral Gray [NGT]
- Steel Blue [TSB]
- Whiskey [TWS]

Metal finishes

- Dark Oxidized [DX]
- Brushed Brass [BB]
- Brushed Nickel [BN]
- Polished Nickel [PN]


Cord colors

- Black
- Blue
- Gold
- Gray

SkLO
Drape Hook 3
PENDANT



DRAPE HOOK 9 PENDANT
Shown in olivin dipped glass, brushed brass metal finish, gold cord



CE EAC CB IP20

The Drape Hook 3 Pendant is a multi-pendant fixture featuring diffusers of handblown Czech glass suspended from a single canopy and swagged to ceiling hooks (included). Each pendant is suspended on a fabric-wrapped electrical cord and features a 110mm diameter spherical glass diffuser. The glass diffusers are available in both "dipped" glass, featuring the SkLO double-dipped flame-polished mouth and "textured" glass, featuring a soft, frosted finish and subtle sculpted vertical ridges. Cord lengths are field adjustable. Infinite compositions are possible.

Sockets 220-240V G9 7W Max (LED bulbs included)

Accommodates sloped ceilings

Standard cord length 3050mm – field adjustable – longer lengths available at additional cost

Handblown glass production results in variation in dimensions, shape, color saturation, color tint, and imperfections such as small bubbles. This is part of SkLO design intent

Made in the Czech Republic

LT172 [---][--] Drape Hook 3 Pendant

Dipped Glass colors

- Clear [CLR]
- New Blue [NBL]
- Olivin [OLV]
- Smoke [SMK]
- White [WHT]

Textured Glass colors

- Clear [TCL]
- Neutral Gray [NGT]
- Steel Blue [TSB]
- Whiskey [TWS]

Metal finishes

- Dark Oxidized [DX]
- Brushed Brass [BB]
- Brushed Nickel [BN]
- Polished Nickel [PN]


Cord colors

- Black
- Blue
- Gold
- Gray

SkLO

Drape Hook 5

PENDANT



CE EAC CB IP20

The Drape Hook 5 Pendant is a multi-pendant fixture featuring diffusers of handblown Czech glass suspended from a single canopy and swagged to ceiling hooks (included). Each pendant is suspended on a fabric-wrapped electrical cord and features a 110mm diameter spherical glass diffuser. The glass diffusers are available in both "dipped" glass, featuring the SkLO double-dipped flame-polished mouth and "textured" glass, featuring a soft, frosted finish and subtle sculpted vertical ridges. Cord lengths are field adjustable. Infinite compositions are possible.

Sockets 220-240V G9 7W Max (LED bulbs included)

Accommodates sloped ceilings

Standard cord length 3050mm – field adjustable – longer lengths available at additional cost

Handblown glass production results in variation in dimensions, shape, color saturation, color tint, and imperfections such as small bubbles. This is part of SkLO design intent

Made in the Czech Republic

LT174 [---][--] Drape Hook 5 Pendant

Dipped Glass colors
 Clear [CLR]
 New Blue [NBL]
 Olivin [OLV]
 Smoke [SMK]
 White [WHT]

Textured Glass colors
 Clear [TCL]
 Neutral Gray [NGT]
 Steel Blue [TSB]
 Whiskey [TWS]


Metal finishes
 Dark Oxidized [DX]
 Brushed Brass [BB]
 Brushed Nickel [BN]
 Polished Nickel [PN]

Cord colors
 Black
 Blue
 Gold
 Gray

SkLO

Drape Hook 7

PENDANT



CE EAC CB IP20

The Drape Hook 7 Pendant is a multi-pendant fixture featuring diffusers of handblown Czech glass suspended from a single canopy and swagged to ceiling hooks (included). Each pendant is suspended on a fabric-wrapped electrical cord and features a 110mm diameter spherical glass diffuser. The glass diffusers are available in both "dipped" glass, featuring the SkLO double-dipped flame-polished mouth and "textured" glass, featuring a soft, frosted finish and subtle sculpted vertical ridges. Cord lengths are field adjustable. Infinite compositions are possible.

Sockets 220-240V G9 7W Max (LED bulbs included)

Accommodates sloped ceilings

Standard cord length 3050mm – field adjustable – longer lengths available at additional cost

Handblown glass production results in variation in dimensions, shape, color saturation, color tint, and imperfections such as small bubbles. This is part of SkLO design intent

Made in the Czech Republic

LT176 [---][--] Drape Hook 7 Pendant

Dipped Glass colors
 Clear [CLR]
 New Blue [NBL]
 Olivin [OLV]
 Smoke [SMK]
 White [WHT]

Textured Glass colors
 Clear [TCL]
 Neutral Gray [NGT]
 Steel Blue [TSB]
 Whiskey [TWS]

Metal finishes
 Dark Oxidized [DX]
 Brushed Brass [BB]
 Brushed Nickel [BN]
 Polished Nickel [PN]

Cord colors
 Black
 Blue
 Gold
 Gray



66

Copyright © December 2025 sklo.com

sklo.com/drape-hook

sklo.com/drape-hook




67

Copyright © December 2025 sklo.com

SkLO

Drape Hook 9

PENDANT



CE EAC CB IP20

The Drape Hook 9 Pendant is a multi-pendant fixture featuring diffusers of handblown Czech glass suspended from a single canopy and swagged to ceiling hooks (included). Each pendant is suspended on a fabric-wrapped electrical cord and features a 110mm diameter spherical glass diffuser. The glass diffusers are available in both "dipped" glass, featuring the SkLO double-dipped flame-polished mouth and "textured" glass, featuring a soft, frosted finish and subtle sculpted vertical ridges. Cord lengths are field adjustable. Infinite compositions are possible.

Sockets 220-240V G9 7W Max (LED bulbs included)

Accommodates sloped ceilings

Standard cord length 3050mm – field adjustable – longer lengths available at additional cost

Handblown glass production results in variation in dimensions, shape, color saturation, color tint, and imperfections such as small bubbles. This is part of SkLO design intent

Made in the Czech Republic

LT177 [---][--] Drape Hook 9 Pendant

Dipped Glass colors

- Clear [CLR]
- New Blue [NBL]
- Olivin [OLV]
- Smoke [SMK]
- White [WHT]

Textured Glass colors

- Clear [TCL]
- Neutral Gray [NGT]
- Steel Blue [TSB]
- Whiskey [TWS]

Metal finishes

- Dark Oxidized [DX]
- Brushed Brass [BB]
- Brushed Nickel [BN]
- Polished Nickel [PN]

Cord colors

- Black
- Blue
- Gold
- Gray




DRAPE HOOK PENDANT
Project: Private Residence
Interior Design: O&A
Photography: Mikhail Loskutov

SkLO
Drape Linear 5
 CHANDELIER



DRAPE LINEAR 7 CHANDELIER
 Shown in white dipped glass, brushed brass metal finish, blue cord



CE EAC CB IP20

The Drape Linear 5 Chandelier consists of 5 individual pendants gathered into a straight line and supported by a flat brass bar. Each pendant features a 110mm diameter diffuser of handblown Czech glass suspended on a fabric-wrapped electrical cord. The cords pass through and are affixed to the bar and are evenly spaced around its length. The glass diffusers are available in both "dipped" glass, featuring the SkLO double-dipped flame-polished mouth and "textured" glass, featuring a soft, frosted finish and subtle sculpted vertical ridges. Cord lengths are field adjustable.

Sockets 220-240V G9 7W Max (LED bulbs included)

Accommodates sloped ceilings

Standard cord length 3050mm – field adjustable – longer lengths available at additional cost

Fixture weight (approximate): 8kg

Handblown glass production results in variation in dimensions, shape, color saturation, color tint, and imperfections such as small bubbles. This is part of SkLO design intent

Made in the Czech Republic

LT399 [---] Drape Linear 5 Chandelier

Dipped Glass colors

- Clear [CLR]
- New Blue [NBL]
- Olivin [OLV]
- Smoke [SMK]
- White [WHT]

Textured Glass colors

- Clear [TCL]
- Neutral Gray [NGT]
- Steel Blue [TSB]
- Whiskey [TWS]

Metal finishes

- Dark Oxidized [DX]
- Brushed Brass [BB]
- Brushed Nickel [BN]
- Polished Nickel [PN]


Cord colors

- Black
- Blue
- Gold
- Gray

SkLO

Drape Linear 7


CHANDELIER



SkLO

Drape Linear 9

CHANDELIER



CE EAC CB IP20

The Drape Linear 7 Chandelier consists of 7 individual pendants gathered into a straight line and supported by a flat brass bar. Each pendant features a 110mm diameter diffuser of handblown Czech glass suspended on a fabric-wrapped electrical cord. The cords pass through and are affixed to the bar and are evenly spaced around its length. The glass diffusers are available in both "dipped" glass, featuring the SkLO double-dipped flame-polished mouth and "textured" glass, featuring a soft, frosted finish and subtle sculpted vertical ridges. Cord lengths are field adjustable.

Sockets 220-240V G9 7W Max (LED bulbs included)

Accommodates sloped ceilings

Standard cord length 3050mm – field adjustable – longer lengths available at additional cost

Fixture weight (approximate): 10kg

Handblown glass production results in variation in dimensions, shape, color saturation, color tint, and imperfections such as small bubbles. This is part of SkLO design intent

Made in the Czech Republic

LT400 [---][--] Drape Linear 7 Chandelier

Dipped Glass colors

- Clear [CLR]
- New Blue [NBL]
- Olivin [OLV]
- Smoke [SMK]
- White [WHT]

Textured Glass colors

- Clear [TCL]
- Neutral Gray [NGT]
- Steel Blue [TSB]
- Whiskey [TWS]

Metal finishes

- Dark Oxidized [DX]
- Brushed Brass [BB]
- Brushed Nickel [BN]
- Polished Nickel [PN]

Cord colors

- Black
- Blue
- Gold
- Gray

CE EAC CB IP20

The Drape Linear 9 Chandelier consists of 9 individual pendants gathered into a straight line and supported by a flat brass bar. Each pendant features a 110mm diameter diffuser of handblown Czech glass suspended on a fabric-wrapped electrical cord. The cords pass through and are affixed to the bar and are evenly spaced around its length. The glass diffusers are available in both "dipped" glass, featuring the SkLO double-dipped flame-polished mouth and "textured" glass, featuring a soft, frosted finish and subtle sculpted vertical ridges. Cord lengths are field adjustable.

Sockets 220-240V G9 7W Max (LED bulbs included)

Accommodates sloped ceilings

Standard cord length 3050mm – field adjustable – longer lengths available at additional cost

Fixture weight (approximate): 12kg

Handblown glass production results in variation in dimensions, shape, color saturation, color tint, and imperfections such as small bubbles. This is part of SkLO design intent

Made in the Czech Republic

LT401 [---][--] Drape Linear 9 Chandelier

Dipped Glass colors

- Clear [CLR]
- New Blue [NBL]
- Olivin [OLV]
- Smoke [SMK]
- White [WHT]

Textured Glass colors

- Clear [TCL]
- Neutral Gray [NGT]
- Steel Blue [TSB]
- Whiskey [TWS]

Metal finishes

- Dark Oxidized [DX]
- Brushed Brass [BB]
- Brushed Nickel [BN]
- Polished Nickel [PN]

Cord colors

- Black
- Blue
- Gold
- Gray



72

Copyright © December 2025 sklo.com

sklo.com/drape-linear



73

Copyright © December 2025 sklo.com


SkLO

Drape Skirt 9

CHANDELIER



DRAPE SKIRT 9 CHANDELIER
Shown in white dipped glass, brushed brass metal finish, blue cord



CE EAC CB IP20

The Drape Skirt 9 Chandelier consists of 9 individual pendants gathered and supported by a central brass "skirt" structure. Each pendant features a 110mm diameter diffuser of handblown Czech glass suspended on a fabric-wrapped electrical cord. The cords pass through the tubes of the "skirt", and the slight friction created by the cord passing through the bent tubing holds the "skirt" in place. The "skirt" element can be located anywhere along the length of the fixture/cords. The glass diffusers are available in both "dipped" glass, featuring the SkLO double-dipped flame-polished mouth and "textured" glass, featuring a soft, frosted finish and subtle sculpted vertical ridges. Cord lengths are field adjustable.

Sockets 220-240V G9 7W Max (LED bulbs included)

Accommodates sloped ceilings

Standard cord length 3050mm – field adjustable – longer lengths available at additional cost

Fixture weight (approximate): 11kg

Handblown glass production results in variation in dimensions, shape, color saturation, color tint, and imperfections such as small bubbles. This is part of SkLO design intent

Made in the Czech Republic

LT295 [---] Drape Skirt 9 Chandelier

Dipped Glass colors

- Clear [CLR]
- New Blue [NBL]
- Olivin [OLV]
- Smoke [SMK]
- White [WHT]

Textured Glass colors

- Clear [TCL]
- Neutral Gray [NGT]
- Steel Blue [TSB]
- Whiskey [TWS]

Metal finishes

- Dark Oxidized [DX]
- Brushed Brass [BB]
- Brushed Nickel [BN]
- Polished Nickel [PN]

Cord colors

- Black
- Blue
- Gold
- Gray



DRAPE SKIRT 15 CHANDELIER
Project: Kanoun Patisserie, Paris, France
Architect: Vincent Eschalier
Interior Design: Diane de Kergal
Photography: Nicolas Matheus


SkLO

Drape Skirt 15

CHANDELIER



DRAPE SKIRT 15 CHANDELIER
Shown in white dipped glass, brushed brass metal finish, black cord



CE EAC CB IP20

The Drape Skirt 15 Chandelier consists of 15 individual pendants gathered into 5 groups of 3 and supported by a series of 5 brass "skirt" structures along the length of a brass bar. The brass "skirts" attach to the bar by a series of simple slotted connections, allowing the "skirts" to hold the bar with the slight friction of the cords passing through the smooth brass tubes of the "skirts". Each pendant features a 110mm diameter diffuser of handblown Czech glass suspended on a fabric-wrapped electrical cord. The cords pass through and are affixed to the bar and are evenly spaced around its length. The glass diffusers are available in both "dipped" glass, featuring the SkLO double-dipped flame-polished mouth and "textured" glass, featuring a soft, frosted finish and subtle sculpted vertical ridges. Cord lengths are field adjustable.

Sockets 220-240V G9 7W Max (LED bulbs included)

Not recommended for sloped ceilings

Standard cord length 3050mm – field adjustable – longer lengths available at additional cost

Fixture weight (approximate): 23kg

Handblown glass production results in variation in dimensions, shape, color saturation, color tint, and imperfections such as small bubbles. This is part of SkLO design intent

Made in the Czech Republic

LT290 [---] Drape Skirt 15 Chandelier

Dipped Glass colors

- Clear [CLR]
- New Blue [NBL]
- Olivin [OLV]
- Smoke [SMK]
- White [WHT]

Textured Glass colors

- Clear [TCL]
- Neutral Gray [NGT]
- Steel Blue [TSB]
- Whiskey [TWS]

Metal finishes

- Dark Oxidized [DX]
- Brushed Brass [BB]
- Brushed Nickel [BN]
- Polished Nickel [PN]


Cord colors

- Black
- Blue
- Gold
- Gray

SkLO
Drape Skirt 18
 CHANDELIER



DRAPE SKIRT 18 CHANDELIER
 Shown in white dipped glass, brushed brass metal finish, black cord



CE EAC CB IP20

The Drape Skirt 18 Chandelier consists of 18 individual pendants gathered into 6 groups of 3 and supported by a series of 6 brass "skirt" structures arranged around the circumference of a brass ring. The brass "skirts" attach to the ring by a series of simple slotted connections, allowing the "skirts" to hold the ring with the slight friction of the cords passing through the smooth brass tubes of the "skirts". Each pendant features a 110mm diameter diffuser of handblown Czech glass suspended on a fabric-wrapped electrical cord. The glass diffusers are available in both "dipped" glass, featuring the SkLO double-dipped flame-polished mouth and "textured" glass, featuring a soft, frosted finish and subtle sculpted vertical ridges. Cord lengths are field adjustable.

Sockets 220-240V G9 7W Max (LED bulbs included)

Not recommended for sloped ceilings

Standard cord length 3050mm – field adjustable – longer lengths available at additional cost

Fixture weight (approximate): 30kg

Handblown glass production results in variation in dimensions, shape, color saturation, color tint, and imperfections such as small bubbles. This is part of SkLO design intent

Made in the Czech Republic

LT293 [---] Drape Skirt 18 Chandelier

Dipped Glass colors

- Clear [CLR]
- New Blue [NBL]
- Olivin [OLV]
- Smoke [SMK]
- White [WHT]

Textured Glass colors

- Clear [TCL]
- Neutral Gray [NGT]
- Steel Blue [TSB]
- Whiskey [TWS]

Metal finishes

- Dark Oxidized [DX]
- Brushed Brass [BB]
- Brushed Nickel [BN]
- Polished Nickel [PN]

Cord colors

- Black
- Blue
- Gold
- Gray



FLOAT 1.0 PENDANT

Project: Kanoun Patisserie, Paris, France
Architect: Vincent Eschalier
Interior Design: Diane de Kergal
Photography: Nicolas Matheus




ELIZABETH I PENDANT
Shown in pastel green/pine tree green glass, brushed brass metal finish

Standard Stem Kit
1220mm

152mm
305mm
305mm
458mm

Extended Stem Kit
2440mm



152mm
305mm
458mm
610mm
915mm



125mm

160mm
230mm

Profile options:



The Elizabeth lighting series combines glass shapes of different geometries within an outer transparent glass dome. The pendant stem transitions above the glass into a decorative metal profile. The Elizabeth I Pendant combines an inner lit, opaque ellipsoid diffuser with its outer transparent glass dome. Available in multiple profile options, glass color combinations, and brass hardware finishes. Part of the SkLO + AvroKO collection – a collaboration between SkLO and the AvroKO Partners.

Socket 220-240V G9 7W Max (LED bulb included)

Requires recessed electrical box for installation

Standard canopy does NOT accommodate sloped ceilings or swagging of this light. Other canopy options are available at an additional cost. Visit the Accessories page on our website to see available canopy options and review compatibility

This fixture is compatible with one or more of SkLO customizable multi-pendant canopy systems. Visit the Accessories page on our website to see available systems and review compatibility

Fixture length:

Fixture includes our field-adjustable Standard Stem Kit (consists of (1) 152mm, (2) 305mm, and (1) 458mm combinable stem sections) – additional Stem Kits are available at additional cost

Our field-adjustable Extended Stem Kit is available at additional cost (consists of (1) 152mm, (1) 305mm, (1) 458mm, (1) 610mm and (1) 915mm combinable stem sections)

Custom cut-to-order stems (not field-adjustable) available – requires specified OAL (overall drop length) – minimum OAL 415mm. Lengths over 1485mm available at additional cost

Fixture weight (approximate): 4kg

Handblown glass production results in variation in dimensions, shape, color saturation, color tint, and imperfections such as small bubbles. This is part of SkLO design intent

Made in the Czech Republic

LT621 [-----][--] Profile 1
LT622 [-----][--] Profile 2
LT623 [-----][--] Profile 3
LT624 [-----][--] Profile 4
LT625 [-----][--] Profile 5

Glass colors
Light Beige/Olivin [LBEOLV]
Pastel Green/Pine Tree Green [PAGPTG]
White/Smoke [WHTSMK]

Metal finishes
Antique Brass [AB]
Dark Oxidized [DX]
Brushed Brass [BB]

SkLO

Elizabeth II

PENDANT

SkLO + AvroKO



ELIZABETH II PENDANT


Shown in light beige/olivin glass, brushed brass metal finish

Standard Stem Kit
1220mm


152mm
305mm
305mm
458mm

Extended Stem Kit
2440mm


152mm
305mm
458mm
610mm
915mm



Profile options:



Profile 1 Profile 2 Profile 3



Profile 4 Profile 5

The Elizabeth lighting series combines glass shapes of different geometries within an outer transparent glass dome. The pendant stem transitions above the glass into a decorative metal profile. The Elizabeth II Pendant pairs a smaller elongated inner dome of lit opaque glass with its larger outer transparent glass dome. Available in multiple profile options, glass color combinations, and brass hardware finishes. Part of the SkLO + AvroKO collection – a collaboration between SkLO and the AvroKO Partners.

Socket 220-240V G9 7W Max (LED bulb included)

Requires recessed electrical box for installation

Standard canopy does NOT accommodate sloped ceilings or swagging of this light. Other canopy options are available at an additional cost. Visit the Accessories page on our website to see available canopy options and review compatibility

This fixture is compatible with one or more of SkLO customizable multi-pendant canopy systems. Visit the Accessories page on our website to see available systems and review compatibility

Fixture length:

Fixture includes our field-adjustable Standard Stem Kit (consists of (1) 152mm, (2) 305mm, and (1) 458mm combinable stem sections) – additional Stem Kits are available at additional cost

Our field-adjustable Extended Stem Kit is available at additional cost (consists of (1) 152mm, (1) 305mm, (1) 458mm, (1) 610mm and (1) 915mm combinable stem sections)

Custom cut-to-order stems (not field-adjustable) available – requires specified OAL (overall drop length) – minimum OAL 480mm. Lengths over 1550mm available at additional cost

Fixture weight (approximate): 5kg

Handblown glass production results in variation in dimensions, shape, color saturation, color tint, and imperfections such as small bubbles. This is part of SkLO design intent

Made in the Czech Republic

LT616 [-----][--] Profile 1
LT617 [-----][--] Profile 2
LT618 [-----][--] Profile 3
LT619 [-----][--] Profile 4
LT620 [-----][--] Profile 5

Glass colors
● Light Beige/Olivin [LBEOLV]
● Pastel Green/Pine Tree Green [PAGPTG]
● White/Smoke [WHTSMK]

Metal finishes
● Antique Brass [AB]
● Dark Oxidized [DX]
● Brushed Brass [BB]


SkLO

Float 1.0

PENDANT



FLOAT 1.0 PENDANT
Shown in smoke glass, brushed brass metal finish



Spheres of lit handblown glass suspended on brass tube stems, the Float 1.0 Pendants are both simple and elegant. The openings at the bottom of the glass feature an organic, layered detail where we dip the spheres twice into the molten glass during production. The lip of the opening is then cut and polished smooth. These details express their handmade nature without sacrificing their minimal feel. Available in two sizes.

Socket 220-240V E27 60W Max (LED bulb included)

Standard canopy does NOT accommodate sloped ceilings or swagging of this light. Other canopy options are available at an additional cost. Visit the Accessories page on our website to see available canopy options and review compatibility

This fixture is compatible with one or more of SkLO customizable multi-pendant canopy systems. Visit the Accessories page on our website to see available systems and review compatibility

Fixture length:

Fixture includes our field-adjustable Standard Stem Kit (consists of (1) 152mm, (2) 305mm, and (1) 458mm combinable stem sections) – additional Stem Kits are available at additional cost

Our field-adjustable Extended Stem Kit is available at additional cost (consists of (1) 152mm, (1) 305mm, (1) 458mm, (1) 610mm and (1) 915mm combinable stem sections)

Custom cut-to-order stems (not field-adjustable) available – requires specified OAL (overall drop length) – minimum OAL 410mm (LT253), 570mm (LT254). Lengths over 1480mm (LT253), 1640mm (LT254) available at additional cost

Fixture weights (approximate): 3.5kg (LT253), 7kg (LT254)

Handblown glass production results in variation in dimensions, shape, color saturation, color tint, and imperfections such as small bubbles. This is part of SkLO design intent

Made in the Czech Republic

LT253 [---][-]
LT254 [---][-]
250mm glass
410mm glass

Glass colors
Amber [AMB]
Clear [CLR]
Olivin [OLV]
Smoke [SMK]
White [WHT]

Metal finishes
Dark Oxidized [DX]
Brushed Brass [BB]
Brushed Nickel [BN]
Polished Nickel [PN]



FLOAT 2.0 LIGHT


SkLO

Float 2.0

LIGHT



FLOAT 2.0 LIGHT
Shown in 20"/510mm smoke glass, brushed brass metal finish



CE EAC CB IP20

Large spheres of handblown Czech glass with a custom brass socket assembly through one side. Each glass sphere is blown by hand without the use of moulds, and so is slightly imperfect in shape. Each is broken hot from the blower's pipe and the mouth then fire-polished to create an uncontrollable detail unique to each piece. Two brass thumb screws attach the removable bulb-and-socket from the side of the glass.

Socket 220-240V E27 7W Max (LED bulb included)

1830mm black fabric-wrapped cord with in-line switch

Handblown glass production results in variation in dimensions, shape, color saturation, color tint, and imperfections such as small bubbles. This is part of SkLO design intent

Made in the Czech Republic

LT216 [---][--]
LT220 [---][--]

410mm glass
510mm glass

Glass colors

● Amber [AMB]
○ Clear [CLR]
● Olivin [OLV]
● Smoke [SMK]
○ White [WHT]

Metal finishes

● Dark Oxidized [DX]
● Brushed Brass [BB]
● Brushed Nickel [BN]
○ Polished Nickel [PN]

SkLO

Float 2.0

PENDANT



FLOAT 2.0 PENDANT
Shown in 20"/510mm clear and smoke glass, brushed brass metal finish, black cord

CE EAC CB IP20

Large spheres of handblown Czech glass suspended on rigid brass stems. A custom brass socket assembly through one side holds the light bulb and is connected to the canopy at the ceiling with a length of exposed fabric-wrapped electrical cord. Each glass sphere is blown by hand without the use of moulds, and so is slightly imperfect in shape. Two brass thumb screws attach the removable bulb-and-socket from the side of the glass.

Socket 220-240V E27 60W Max (LED bulb included)

Standard canopy does NOT accommodate sloped ceilings or swagging of this light. Other canopy options are available at an additional cost. Visit the Accessories page on our website to see available canopy options and review compatibility

This fixture is compatible with one or more of SkLO customizable multi-pendant canopy systems. Visit the Accessories page on our website to see available systems and review compatibility

Fixture length:

Fixture includes our field-adjustable Standard Stem Kit (consists of (1) 152mm, (2) 305mm, and (1) 458mm combinable stem sections) – additional Stem Kits are available at additional cost

Our field-adjustable Extended Stem Kit is available at additional cost (consists of (1) 152mm, (1) 305mm, (1) 458mm, (1) 610mm and (1) 915mm combinable stem sections)


Custom cut-to-order stems (not field-adjustable) available – requires specified OAL (overall drop length) – minimum OAL 610mm (LT259), 710mm (LT319). Lengths over 1680mm (LT259), 1780mm (LT319) available at additional cost

Fabric-wrapped electrical cord length will be supplied based on overall drop length specified – field adjustable

Fixture weights (approximate): 7kg (LT259), 9kg (LT319)

Handblown glass production results in variation in dimensions, shape, color saturation, color tint, and imperfections such as small bubbles. This is part of SkLO design intent

Made in the Czech Republic



LT259 [---][-]
LT319 [---][-]

410mm glass
510mm glass

Glass colors

- Amber [AMB]
- Clear [CLR]
- Olivin [OLV]
- Smoke [SMK]
- White [WHT]

Metal finishes

- Dark Oxidized [DX]
- Brushed Brass [BB]
- Brushed Nickel [BN]
- Polished Nickel [PN]

Cord colors

- Black
- Blue
- Gold
- Gray




HOLD 18 SCONCE
Project: Curly's Cove, Bodega Bay, California
Architect: Lundberg Design
Photography: Lundberg Design

SkLO
Hold 12
SCONCE



HOLD 12 SCONCE
Shown in white glass, brushed brass metal finish, gray cord, north-american canopy



CE EAC CB IP20

A smaller version of the SkLO Hold Vessel – an expressive glass vessel that appears to stretch from its hook as if molten – serves as a shade on this wall sconce. The socket is suspended from the hook on a fabric-wrapped electrical cord and is loosely suspended within the glass. A removable threaded pin within the brass hook can be used to secure the glass if required.

Socket 220-240V G9 7W Max (LED bulb included)

Fixture weight (approximate): 2.5kg

Handblown glass production results in variation in dimensions, shape, color saturation, color tint, and imperfections such as small bubbles. This is part of SkLO design intent

Made in the Czech Republic

LT267 [---] [-]

Hold 12 Sconce

Glass colors

- Clear [CLR]
- Gray [GRY]
- New Blue [NBL]
- Olivin [OLV]
- Smoke [SMK]
- White [WHT]

Metal finishes

- Dark Oxidized [DX]
- Brushed Brass [BB]
- Brushed Nickel [BN]
- Polished Nickel [PN]

Cord colors

- Black
- Blue
- Gold
- Gray


SkLO

Hold 18

SCONCE



HOLD 18 SCONCE
Shown in smoke glass, brushed brass metal finish, black cord, north-american canopy



CE EAC CB IP20

An expressive glass vessel that appears to stretch from its hook as if molten serves as a shade on this wall sconce. The socket is suspended from the hook on a fabric-wrapped electrical cord and is loosely suspended within the glass. A removable threaded pin within the brass hook can be used to secure the glass if required.

Socket 220-240V E14 25W Max (LED bulb included)

Fixture weight (approximate): 3kg

Handblown glass production results in variation in dimensions, shape, color saturation, color tint, and imperfections such as small bubbles. This is part of SkLO design intent

Made in the Czech Republic

LT261 [---][--]

Hold 18 Sconce

Glass colors

- Clear [CLR]
- Gray [GRY]
- New Blue [NBL]
- Olivin [OLV]
- Smoke [SMK]
- White [WHT]

Metal finishes

- Dark Oxidized [DX]
- Brushed Brass [BB]
- Brushed Nickel [BN]
- Polished Nickel [PN]

Cord colors

- Black
- Blue
- Gold
- Gray

SkLO

Hold 12


PENDANT



HOLD PENDANT
Hold 18 in smoke, Hold 12 in olivin, both brushed brass metal finish, black cord


Standard Stem Kit
1220mm

152mm
305mm
305mm
458mm



Extended Stem Kit
2440mm

152mm
305mm
458mm
610mm
915mm



A smaller version of the SkLO Hold Vessel – an expressive glass vessel that appears to stretch from its hook as if molten – serves as a shade on this pendant. The pendant is suspended on a rigid brass tube stem featuring a custom brass hook at the end. The brass socket is suspended on an exposed, fabric-wrapped electrical cord that exits the tube stem above the hook and suspends the light bulb within the glass.

Socket 220-240V G9 7W Max (LED bulb included)

Standard canopy does NOT accommodate sloped ceilings or swagging of this light. Other canopy options are available at an additional cost. Visit the Accessories page on our website to see available canopy options and review compatibility

This fixture is compatible with one or more of SkLO customizable multi-pendant canopy systems. Visit the Accessories page on our website to see available systems and review compatibility

Fixture length:

Fixture includes our field-adjustable Standard Stem Kit (consists of (1) 152mm, (2) 305mm, and (1) 458mm combinable stem sections) – additional Stem Kits are available at additional cost

Our field-adjustable Extended Stem Kit is available at additional cost (consists of (1) 152mm, (1) 305mm, (1) 458mm, (1) 610mm and (1) 915mm combinable stem sections)

Custom cut-to-order stems (not field-adjustable) available – requires specified OAL (overall drop length) – minimum OAL 520mm. Lengths over 1590mm available at additional cost

Fixture weight (approximate): 3kg

Handblown glass production results in variation in dimensions, shape, color saturation, color tint, and imperfections such as small bubbles. This is part of SkLO design intent

Made in the Czech Republic

LT264 [---][--] Hold 12 Pendant

Glass colors

- Clear [CLR]
- Gray [GRY]
- New Blue [NBL]
- Olivin [OLV]
- Smoke [SMK]
- White [WHT]

Metal finishes

- Dark Oxidized [DX]
- Brushed Brass [BB]
- Brushed Nickel [BN]
- Polished Nickel [PN]

Cord colors

- Black
- Blue
- Gold
- Gray



102

Copyright © December 2025 sklo.com

sklo.com/hold-pendant

Copyright © December 2025 sklo.com

103

SkLO


Hold 18

PENDANT



HOLD 18 PENDANT

Shown in white glass, dark oxidized metal finish, black cord, north-american canopy



An expressive glass vessel that appears to stretch from its hook as if molten serves as a shade on this pendant. The pendant is suspended on a rigid brass tube stem featuring a custom brass hook at the end. The brass socket is suspended on an exposed, fabric-wrapped electrical cord that exits the tube stem above the hook and suspends the light bulb within the glass.

Socket 220-240V E14 25W Max (LED bulb included)

Standard canopy does NOT accommodate sloped ceilings or swagging of this light. Other canopy options are available at an additional cost. Visit the Accessories page on our website to see available canopy options and review compatibility

This fixture is compatible with one or more of SkLO customizable multi-pendant canopy systems. Visit the Accessories page on our website to see available systems and review compatibility

Fixture length:

Fixture includes our field-adjustable Standard Stem Kit (consists of (1) 152mm, (2) 305mm, and (1) 458mm combinable stem sections) – additional Stem Kits are available at additional cost

Our field-adjustable Extended Stem Kit is available at additional cost (consists of (1) 152mm, (1) 305mm, (1) 458mm, (1) 610mm and (1) 915mm combinable stem sections)

Custom cut-to-order stems (not field-adjustable) available – requires specified OAL (overall drop length) – minimum OAL 640mm. Lengths over 1710mm available at additional cost

Fixture weight (approximate): 3.5kg

Handblown glass production results in variation in dimensions, shape, color saturation, color tint, and imperfections such as small bubbles. This is part of SkLO design intent

Made in the Czech Republic

LT263 [---][-]

Hold 18 Pendant

Glass colors

- Clear [CLR]
- Gray [GRY]
- New Blue [NBL]
- Olivin [OLV]
- Smoke [SMK]
- White [WHT]

Metal finishes

- Dark Oxidized [DX]
- Brushed Brass [BB]
- Brushed Nickel [BN]
- Polished Nickel [PN]

Cord colors

- Black
- Blue
- Gold
- Gray



HOLD PIN PENDANT

Project: Flour + Water, San Francisco
Architect: Lundberg Design
Photography: Krescent Carasso


SkLO

Hold Pin 1.09

PENDANT



HOLD PIN 1.09 PENDANT
Shown in white glass, brushed brass metal finish, black cord, north-american canopy



CE EAC CB IP20

An expressive glass vessel that appears to stretch under its weight serves as a shade in this pendant. The glass element here is different from that of the Hold Sconce and Hold Pendant in that is round and not flattened, and it is also of a different size. The glass element hangs from a brass "pin" element, made of a continuous ribbon of the brass bar, which opens and closes to allow for removal of the glass. The brass socket is suspended on an exposed fabric-wrapped electrical cord from the top of the "pin" and suspends the light bulb within the opening at the top of the glass.

Socket 220-240V G9 7W Max (LED bulb included)

Standard canopy does NOT accommodate sloped ceilings or swagging of this light. Other canopy options are available at an additional cost. Visit the Accessories page on our website to see available canopy options and review compatibility

This fixture is compatible with one or more of SkLO customizable multi-pendant canopy systems. Visit the Accessories page on our website to see available systems and review compatibility

Fixture length:

Fixture includes our field-adjustable Standard Stem Kit (consists of (1) 152mm, (2) 305mm, and (1) 458mm combinable stem sections) – additional Stem Kits are available at additional cost

Our field-adjustable Extended Stem Kit is available at additional cost (consists of (1) 152mm, (1) 305mm, (1) 458mm, (1) 610mm and (1) 915mm combinable stem sections)

Custom cut-to-order stems (not field-adjustable) available – requires specified OAL (overall drop length) – minimum OAL 780mm. Lengths over 1850mm available at additional cost

Fixture weight (approximate): 3kg

Handblown glass production results in variation in dimensions, shape, color saturation, color tint, and imperfections such as small bubbles. This is part of SkLO design intent

Made in the Czech Republic

LT368 [---][---] Hold Pin 1.09 Pendant

Glass colors

- Clear [CLR]
- Gray [GRY]
- New Blue [NBL]
- Olivin [OLV]
- Smoke [SMK]
- White [WHT]

Metal finishes

- Dark Oxidized [DX]
- Brushed Brass [BB]
- Brushed Nickel [BN]
- Polished Nickel [PN]


Cord colors

- Black
- Blue
- Gold
- Gray

SkLO

Hold Pin 1.21

PENDANT



CE EAC CB IP20

An expressive glass vessel that appears to stretch under its weight serves as a shade in this pendant. The glass element here is different from that of the Hold Sconce and Hold Pendant in that it is round and not flattened, and it is also of a different size. The glass element hangs from a brass "pin" element, made of a continuous ribbon of the brass bar, which opens and closes to allow for removal of the glass. The brass socket is suspended on an exposed fabric-wrapped electrical cord from the top of the "pin" and suspends the light bulb within the opening at the top of the glass.

Socket 220-240V G9 7W Max (LED bulb included)

Standard canopy does NOT accommodate sloped ceilings or swagging of this light. Other canopy options are available at an additional cost. Visit the Accessories page on our website to see available canopy options and review compatibility.

This fixture is compatible with one or more of SkLO customizable multi-pendant canopy systems. Visit the Accessories page on our website to see available systems and review compatibility.

Fixture length:

Fixture includes our field-adjustable Standard Stem Kit (consists of (1) 152mm, (2) 305mm, and (1) 458mm combinable stem sections) – additional Stem Kits are available at additional cost.

Our field-adjustable Extended Stem Kit is available at additional cost (consists of (1) 152mm, (1) 305mm, (1) 458mm, (1) 610mm and (1) 915mm combinable stem sections).

Custom cut-to-order stems (not field-adjustable) available – requires specified OAL (overall drop length) – minimum OAL 1040mm. Lengths over 2110mm available at additional cost.

Fixture weight (approximate): 3.5kg

Handblown glass production results in variation in dimensions, shape, color saturation, color tint, and imperfections such as small bubbles. This is part of SkLO design intent.

Made in the Czech Republic

LT365 [---][---] Hold Pin 1.21 Pendant

Glass colors

- Clear [CLR]
- Gray [GRY]
- New Blue [NBL]
- Olivin [OLV]
- Smoke [SMK]
- White [WHT]

Metal finishes

- Dark Oxidized [DX]
- Brushed Brass [BB]
- Brushed Nickel [BN]
- Polished Nickel [PN]

Cord colors

- Black
- Blue
- Gold
- Gray


SkLO

Lasso 1.0

PENDANT



LASSO 1.0 PENDANT
Shown in clear glass, brushed brass metal finish, north-american canopy



CE EAC CB IP20

Solid loops of handblown glass serve as a shade for this sculptural pendant. The glass loops come in different sizes, showcasing the amazing quality and clarity of the Czech glass. Each loop is made by hand, so each is unique and slightly different, lending the finished composition a very organic feel.

Socket 220-240V E27 60W Max (LED bulb included)

Standard canopy does NOT accommodate sloped ceilings or swagging of this light. Other canopy options are available at an additional cost. Visit the Accessories page on our website to see available canopy options and review compatibility.

This fixture is compatible with one or more of SkLO customizable multi-pendant canopy systems. Visit the Accessories page on our website to see available systems and review compatibility.

Fixture length:

Fixture includes our field-adjustable Standard Stem Kit (consists of (1) 152mm, (2) 305mm, and (1) 458mm combinable stem sections) – additional Stem Kits are available at additional cost

Our field-adjustable Extended Stem Kit is available at additional cost (consists of (1) 152mm, (1) 305mm, (1) 458mm, (1) 610mm and (1) 915mm combinable stem sections)

Custom cut-to-order stems (not field-adjustable) available – requires specified OAL (overall drop length) – minimum OAL 780mm. Lengths over 1850mm available at additional cost

Fixture weight (approximate): 18kg

Handblown glass production results in variation in dimensions, shape, color saturation, color tint, and imperfections such as small bubbles. This is part of SkLO design intent

Made in the Czech Republic

LT137 [- -] [- -] Lasso 1.0 Pendant


Glass colors
 Clear [CLR]
 White [WHT]

Metal finishes
 Dark Oxidized [DX]
 Brushed Brass [BB]
 Brushed Nickel [BN]
 Polished Nickel [PN]

SkLO
Lasso 48
CHANDELIER



LASSO 48 CHANDELIER
Shown in white glass, dark oxidized metal finish



CE EAC CB IP20

Large, linear light fixture featuring a long row of glass loops supported on a steel armature. The glass loops come in different sizes, showcasing the amazing quality and clarity of the Czech handblown glass. Each loop is made by hand, so each is unique and slightly different, lending the finished composition a very organic feel. Each socket hangs individually from the canopy on an exposed fabric-wrapped electrical cord and nestles within the glass loops.

Sockets 220-240V E27 60W Max (LED bulbs included)

Does NOT accommodate sloped ceilings

Specify overall drop length – not field adjustable

Fixture weight (approximate): 136kg

Allow 12 weeks for delivery

Handblown glass production results in variation in dimensions, shape, color saturation, color tint, and imperfections such as small bubbles. This is part of SkLO design intent


Made in the Czech Republic

LT140 [---][-]	Lasso 48 Chandelier
Glass colors	<input type="radio"/> Clear [CLR] <input type="radio"/> White [WHT]
Metal finishes	<input checked="" type="radio"/> Dark Oxidized [DX] <input type="radio"/> Brushed Nickel [BN] <input type="radio"/> Polished Nickel [PN]

SkLO

Lasso 60


CHANDELIER



SkLO

Lasso 72

CHANDELIER



CE EAC CB IP20

Large, linear light fixture featuring a long row of glass loops supported on a steel armature. The glass loops come in different sizes, showcasing the amazing quality and clarity of the Czech handblown glass. Each loop is made by hand, so each is unique and slightly different, lending the finished composition a very organic feel. Each socket hangs individually from the canopy on an exposed fabric-wrapped electrical cord and nestles within the glass loops.

Sockets 220-240V E27 60W Max (LED bulbs included)

Does NOT accommodate sloped ceilings

Specify overall drop length – not field adjustable

Fixture weight (approximate): 170kg

Allow 12 weeks for delivery

Handblown glass production results in variation in dimensions, shape, color saturation, color tint, and imperfections such as small bubbles. This is part of SkLO design intent

Made in the Czech Republic

CE EAC CB IP20

Large, linear light fixture featuring a long row of glass loops supported on a steel armature. The glass loops come in different sizes, showcasing the amazing quality and clarity of the Czech handblown glass. Each loop is made by hand, so each is unique and slightly different, lending the finished composition a very organic feel. Each socket hangs individually from the canopy on an exposed fabric-wrapped electrical cord and nestles within the glass loops.

Sockets 220-240V E27 60W Max (LED bulbs included)

Does NOT accommodate sloped ceilings

Specify overall drop length – not field adjustable

Fixture weight (approximate): 205kg

Allow 12 weeks for delivery

Handblown glass production results in variation in dimensions, shape, color saturation, color tint, and imperfections such as small bubbles. This is part of SkLO design intent

Made in the Czech Republic



116

Copyright © December 2025 sklo.com

sklo.com/lasso-chandelier



117

Copyright © December 2025 sklo.com

SkLO


Marchesa

SCONCE

SkLO + AvroKO



MARCHESA SCONCE
Shown in pastel green glass, antique brass metal finish



The Marchesa Sconce composes two domes of opaque handblown glass with a brass armature of fluid decorative profiles. The two domes are individually lit and are oriented in an up and down position. Sophisticated and classic, the intricate design of the Marchesa layers detail in a subtle way. Available in two profile options, multiple opaque glass colors, and brass hardware finishes. Part of the SkLO + AvroKO collection – a collaboration between SkLO and the AvroKO Partners.

Sockets 220-240V G9 7W Max (LED bulbs included)

Requires recessed electrical box for installation

Fixture weight (approximate): 2.3kg

Handblown glass production results in variation in dimensions, shape, color saturation, color tint, and imperfections such as small bubbles. This is part of SkLO design intent

Made in the Czech Republic

LT628 [---][--]
LT629 [---][--]

Profile 1
Profile 2

Glass colors

Light Beige [LBE]
Pastel Green [PAG]
White [WHT]

Metal finishes

Antique Brass [AB]
Dark Oxidized [DX]
Brushed Brass [BB]



118

Copyright © December 2025 sklo.com

sklo.com/marchesa-sconce



119

Copyright © December 2025 sklo.com



OESTRE PENDANT

Shown in white glass, antique brass metal finish

Standard Stem Kit
1220mm

152mm
305mm
305mm
458mm

Extended Stem Kit
2440mm

152mm
305mm
458mm
610mm
915mm

5" / 125mm

6.7" / 170mm
6" / 150mm


Standard Stem Kit
1220mm

152mm
305mm
305mm
458mm

Extended Stem Kit
2440mm

152mm
305mm
458mm
610mm
915mm

Profile options:



Profile 1
Profile 2
Profile 3

Profile 4
Profile 5

The curving lines of its handblown glass give the Oestre Pendant its understated elegance. The double-ellipsoid shape gives it presence, while the opaque glass gives a soft glow. The pendant stem transitions above the glass into a decorative metal profile. Available in multiple profile options, opaque glass colors, and brass hardware finishes. Part of the SkLO + AvroKO collection – a collaboration between SkLO and the AvroKO Partners.

Socket 220-240V G9 7W Max (LED bulb included)

Requires recessed electrical box for installation

Standard canopy does NOT accommodate sloped ceilings or swagging of this light. Other canopy options are available at an additional cost. Visit the Accessories page on our website to see available canopy options and review compatibility

This fixture is compatible with one or more of SkLO customizable multi-pendant canopy systems. Visit the Accessories page on our website to see available systems and review compatibility

This fixture is compatible with one or more of SkLO customizable multi-pendant canopy systems. Visit the Accessories page on our website to see available systems and review compatibility

Fixture length:

Fixture includes our field-adjustable Standard Stem Kit (consists of (1) 152mm, (2) 305mm, and (1) 458mm combinable stem sections) – additional Stem Kits are available at additional cost

Our field-adjustable Extended Stem Kit is available at additional cost (consists of (1) 152mm, (1) 305mm, (1) 458mm, (1) 610mm and (1) 915mm combinable stem sections)

Custom cut-to-order stems (not field-adjustable) available – requires specified OAL (overall drop length) – minimum OAL 430mm. Lengths over 1500mm available at additional cost

Fixture weight (approximate): 3kg

Handblown glass production results in variation in dimensions, shape, color saturation, color tint, and imperfections such as small bubbles. This is part of SkLO design intent

Made in the Czech Republic

LT606 [---][--]
LT607 [---][--]
LT608 [---][--]
LT609 [---][--]
LT610 [---][--]

Profile 1

Profile 2

Profile 3

Profile 4


Profile 5

Glass colors

Light Beige [LBE]
Pastel Green [PAG]
White [WHT]

Metal finishes

Antique Brass [AB]
Dark Oxidized [DX]
Brushed Brass [BB]



ONCE LIGHT
Shown in 10"/250mm white dipped glass, brushed brass metal finish, black cord

CE EAC CB IP20


The Once Light is a single lit sphere of handblown Czech glass that rests atop a brass ring (included). The 110mm and 180mm glass diffusers are available in both "dipped" glass, featuring the SkLO double-dipped flame-polished mouth and "textured" glass, featuring a soft, frosted finish and subtle sculpted vertical ridges. The 250mm diffuser is available in "dipped" glass only.

Socket 220-240V G9 7W Max (LED bulb included)

1830mm black fabric-wrapped cord with in-line switch

Handblown glass production results in variation in dimensions, shape, color saturation, color tint, and imperfections such as small bubbles. This is part of SkLO design intent

Made in the Czech Republic



LT165 [---] [-]
LT166 [---] [-]
LT167 [---] [-]

110mm sphere glass
180mm sphere glass
250mm sphere glass

Dipped Glass colors

- Clear [CLR]
- New Blue [NBL]
- Olivin [OLV]
- Smoke [SMK]
- White [WHT]

Textured Glass colors
(LT165 and LT166 only)

- Clear [TCL]
- Neutral Gray [NGT]
- Steel Blue [TSB]
- Whiskey [TWS]

Metal finishes

- Dark Oxidized [DX]
- Brushed Brass [BB]
- Brushed Nickel [BN]
- Polished Nickel [PN]


SkLO

Peak

PENDANT



PEAK PENDANT
Shown in 4.5"/110mm whiskey and neutral gray textured glass, brushed brass metal finish



The Peak Pendant is a lit shape of handblown glass supported beneath a small conical form. The cone can be installed in either the pointing-up or pointing-down position. The ceiling canopy is an identical conical shape, mirroring the form of the pendant itself. The glass diffusers are available in two shapes and both "dipped" glass, featuring the SkLO double-dipped flame-polished mouth, and "textured" glass, featuring a soft, frosted finish and subtle sculpted vertical ridges. The Peak Pendant offers numerous possible configurations and personalities. It is not just one single pendant design, but many.

Socket 220-240V G9 7W Max (LED bulb included)

Standard canopy does NOT accommodate sloped ceilings or swagging of this light. Other canopy options are available at an additional cost. Visit the Accessories page on our website to see available canopy options and review compatibility

This fixture is compatible with one or more of SkLO customizable multi-pendant canopy systems. Visit the Accessories page on our website to see available systems and review compatibility

Fixture length:

Fixture includes our field-adjustable Standard Stem Kit (consists of (1) 152mm, (2) 305mm, and (1) 458mm combinable stem sections) – additional Stem Kits are available at additional cost

Our field-adjustable Extended Stem Kit is available at additional cost (consists of (1) 152mm, (1) 305mm, (1) 458mm, (1) 610mm and (1) 915mm combinable stem sections)

Custom cut-to-order stems (not field-adjustable) available – requires specified OAL (overall drop length) – minimum OAL 380mm (LT515), 370mm (LT516). Lengths over 1450mm (LT515), 1440mm (LT516) available at additional cost

Fixture weights (approximate): 2kg (LT515), 2.3kg (LT516)

Handblown glass production results in variation in dimensions, shape, color saturation, color tint, and imperfections such as small bubbles. This is part of SkLO design intent

Made in the Czech Republic

LT515 [---][---] 110mm sphere glass
LT516 [---][---] 150mm ellipsoid glass

Dipped Glass colors
 Clear [CLR]
 New Blue [NBL]
 Olivin [OLV]
 Smoke [SMK]
 White [WHT]


Textured Glass colors
 Clear [TCL]
 Neutral Gray [NGT]
 Steel Blue [TSB]
 Whiskey [TWS]

Metal finishes
 Dark Oxidized [DX]
 Brushed Brass [BB]

SkLO
Peak 6
CHANDELIER



PEAK 10 CHANDELIER
Shown in steel blue textured glass, brushed brass metal finish



A ring of six lit 110mm spheres of handblown glass are nestled below a conical form and suspended by a single stem, the forms of the Peak Chandeliers are both playful and elegant. The ceiling canopy is an identical smaller conical shape, mirroring the form of the chandelier. Elevating simple geometric forms, the proportions are everything in the Peak Chandelier, and every detail has been carefully considered. The glass diffusers are available in both "dipped" glass, featuring the SkLO double-dipped flame-polished mouth and "textured" glass, featuring a soft, frosted finish and subtle sculpted vertical ridges.

Sockets 220-240V G9 7W Max (LED bulbs included)

Standard canopy does NOT accommodate sloped ceilings or swagging of this light. Other canopy options are available at an additional cost. Visit the Accessories page on our website to see available canopy options and review compatibility

This fixture is compatible with one or more of SkLO customizable multi-pendant canopy systems. Visit the Accessories page on our website to see available systems and review compatibility

Fixture length:

Fixture includes our field-adjustable Standard Stem Kit (consists of (1) 152mm, (2) 305mm, and (1) 458mm combinable stem sections) – additional Stem Kits are available at additional cost

Our field-adjustable Extended Stem Kit is available at additional cost (consists of (1) 152mm, (1) 305mm, (1) 458mm, (1) 610mm and (1) 915mm combinable stem sections)

Custom cut-to-order stems (not field-adjustable) available – requires specified OAL (overall drop length) – minimum OAL 470mm. Lengths over 1540mm available at additional cost

Fixture weight (approximate): 6.5kg

Handblown glass production results in variation in dimensions, shape, color saturation, color tint, and imperfections such as small bubbles. This is part of SkLO design intent

Made in the Czech Republic

LT510 [---][--] Peak 6 Chandelier

Dipped Glass colors

- Clear [CLR]
- New Blue [NBL]
- Olivin [OLV]
- Smoke [SMK]
- White [WHT]

Textured Glass colors

- Clear [TCL]
- Neutral Gray [NGT]
- Steel Blue [TSB]
- Whiskey [TWS]


Metal finishes

- Dark Oxidized [DX]
- Brushed Brass [BB]

SkLO

Peak 8

CHANDELIER



A ring of eight lit 110mm spheres of handblown glass are nestled below a conical form and suspended by a single stem, the forms of the Peak Chandeliers are both playful and elegant. The ceiling canopy is an identical smaller conical shape, mirroring the form of the chandelier. Elevating simple geometric forms, the proportions are everything in the Peak Chandelier, and every detail has been carefully considered. The glass diffusers are available in both "dipped" glass, featuring the SkLO double-dipped flame-polished mouth and "textured" glass, featuring a soft, frosted finish and subtle sculpted vertical ridges.

Sockets 220-240V G9 7W Max (LED bulbs included)

Standard canopy does NOT accommodate sloped ceilings or swagging of this light. Other canopy options are available at an additional cost. Visit the Accessories page on our website to see available canopy options and review compatibility

This fixture is compatible with one or more of SkLO customizable multi-pendant canopy systems. Visit the Accessories page on our website to see available systems and review compatibility

Fixture length:

Fixture includes our field-adjustable Standard Stem Kit (consists of (1) 152mm, (2) 305mm, and (1) 458mm combinable stem sections) – additional Stem Kits are available at additional cost

Our field-adjustable Extended Stem Kit is available at additional cost (consists of (1) 152mm, (1) 305mm, (1) 458mm, (1) 610mm and (1) 915mm combinable stem sections)

Custom cut-to-order stems (not field-adjustable) available – requires specified OAL (overall drop length) – minimum OAL 510mm. Lengths over 1580mm available at additional cost

Fixture weight (approximate): 9.5kg

Handblown glass production results in variation in dimensions, shape, color saturation, color tint, and imperfections such as small bubbles. This is part of SkLO design intent

Made in the Czech Republic



128


Copyright © December 2025 sklo.com

sklo.com/peak-chandelier

SkLO

Peak 10

CHANDELIER



A ring of ten lit 110mm spheres of handblown glass are nestled below a conical form and suspended by a single stem, the forms of the Peak Chandeliers are both playful and elegant. The ceiling canopy is an identical smaller conical shape, mirroring the form of the chandelier. Elevating simple geometric forms, the proportions are everything in the Peak Chandelier, and every detail has been carefully considered. The glass diffusers are available in both "dipped" glass, featuring the SkLO double-dipped flame-polished mouth and "textured" glass, featuring a soft, frosted finish and subtle sculpted vertical ridges.

Sockets 220-240V G9 7W Max (LED bulbs included)

Standard canopy does NOT accommodate sloped ceilings or swagging of this light. Other canopy options are available at an additional cost. Visit the Accessories page on our website to see available canopy options and review compatibility

This fixture is compatible with one or more of SkLO customizable multi-pendant canopy systems. Visit the Accessories page on our website to see available systems and review compatibility

Fixture length:

Fixture includes our field-adjustable Standard Stem Kit (consists of (1) 152mm, (2) 305mm, and (1) 458mm combinable stem sections) – additional Stem Kits are available at additional cost

Our field-adjustable Extended Stem Kit is available at additional cost (consists of (1) 152mm, (1) 305mm, (1) 458mm, (1) 610mm and (1) 915mm combinable stem sections)

Custom cut-to-order stems (not field-adjustable) available – requires specified OAL (overall drop length) – minimum OAL 550mm. Lengths over 1620mm available at additional cost

Fixture weight (approximate): 12.5kg

Handblown glass production results in variation in dimensions, shape, color saturation, color tint, and imperfections such as small bubbles. This is part of SkLO design intent

Made in the Czech Republic



129

Copyright © December 2025 sklo.com

sklo.com/peak-chandelier



SkLO

Peak

SCONCE/CEILING



PEAK SCONCE/CEILING
Shown in 4.5"/110mm clear and steel blue textured glass, brushed brass metal finish



The Peak Sconce/Ceiling light is a small conical form which fits against the wall or ceiling supporting a lit handblown glass diffuser. The glass diffusers are available in two shapes and in both "dipped" glass, featuring the SkLO double-dipped flame-polished mouth and "textured" glass, featuring a soft, frosted finish and subtle sculpted vertical ridges.

Socket 220-240V G9 7W Max (LED bulb included)

Fixture weight (approximate): 1kg

Handblown glass production results in variation in dimensions, shape, color saturation, color tint, and imperfections such as small bubbles. This is part of SkLO design intent

Made in the Czech Republic

LT518 [---][-]
LT519 [---][-]
110mm sphere glass
150mm ellipsoid glass

Dipped Glass colors
 Clear [CLR]
 New Blue [NBL]
 Olivin [OLV]
 Smoke [SMK]
 White [WHT]

Textured Glass colors
 Clear [TCL]
 Neutral Gray [NGT]
 Steel Blue [TSB]
 Whiskey [TWS]

Metal finishes
 Dark Oxidized [DX]
 Brushed Brass [BB]

SkLO

Perla

PENDANT

SkLO + AvroKO



PERLA PENDANT

Shown in white, light beige and pastel green glass, antique brass metal finish

Standard Stem Kit
1220mm

152mm
305mm
305mm
458mm



Extended Stem Kit
2440mm

152mm
305mm
458mm
610mm
915mm

5" / 125mm

6.7" / 170mm
6" / 150mm

Profile options:



The designs of the Perla lighting series feature glowing ellipsoids of handblown glass with decorative brass hardware. The pendant stem transitions above the glass into a decorative metal profile. The Perla Pendant is simple and understated. The soft hue of the opaque glass and the curving lines add subtle detail to any space it lives within. Available in multiple profile options, opaque glass colors, and brass hardware finishes. Part of the SkLO + AvroKO collection – a collaboration between SkLO and the AvroKO Partners.

Socket 220-240V G9 7W Max (LED bulb included)

Requires recessed electrical box for installation

Standard canopy does NOT accommodate sloped ceilings or swagging of this light. Other canopy options are available at an additional cost. Visit the Accessories page on our website to see available canopy options and review compatibility

This fixture is compatible with one or more of SkLO customizable multi-pendant canopy systems. Visit the Accessories page on our website to see available systems and review compatibility

Fixture length:

Fixture includes our field-adjustable Standard Stem Kit (consists of (1) 152mm, (2) 305mm, and (1) 458mm combinable stem sections) – additional Stem Kits are available at additional cost

Our field-adjustable Extended Stem Kit is available at additional cost (consists of (1) 152mm, (1) 305mm, (1) 458mm, (1) 610mm and (1) 915mm combinable stem sections)

Custom cut-to-order stems (not field-adjustable) available – requires specified OAL (overall drop length) – minimum OAL 340mm. Lengths over 1410mm available at additional cost

Fixture weight (approximate): 2.3kg

Handblown glass production results in variation in dimensions, shape, color saturation, color tint, and imperfections such as small bubbles. This is part of SkLO design intent

Made in the Czech Republic

LT601 [---][--]
LT602 [---][--]
LT603 [---][--]
LT604 [---][--]
LT605 [---][--]

Profile 1
Profile 2
Profile 3
Profile 4
Profile 5

Light Beige [LBE]
Pastel Green [PAG]
White [WHT]

Glass colors

Antique Brass [AB]
Dark Oxidized [DX]
Brushed Brass [BB]

SkLO

Perla


SCONCE

SkLO + AvroKO




PERLA SCONCE
Shown in pastel green glass, brushed brass metal finish

Profile 1



Profile 2



The Perla Sconce arranges two ellipsoid opaque glass diffusers at either end of a brass armature of fluid decorative profiles. The two ellipsoids are individually lit and are oriented in an up and down position. Perla has an intriguing personality that elevates spaces and adds allure. Available in two profile options, multiple opaque glass colors, and brass hardware finishes. Part of the SkLO + AvroKO collection – a collaboration between SkLO and the AvroKO Partners.

Sockets 220-240V G9 7W Max (LED bulbs included)

Requires recessed electrical box for installation

Fixture weight (approximate): 2.3kg

Handblown glass production results in variation in dimensions, shape, color saturation, color tint, and imperfections such as small bubbles. This is part of SkLO design intent

Made in the Czech Republic

LT626 [---][-]
LT627 [- -][--]

Profile 1
Profile 2

Glass colors

Light Beige [LBE]
Pastel Green [PAG]
White [WHT]

Metal finishes

Antique Brass [AB]
Dark Oxidized [DX]
Brushed Brass [BB]


SkLO

Pillow

PENDANT



PILLOW PENDANT
Shown in small clear frosted/white glass, brushed brass metal finish



BOTTOM VIEW

Lit spheres of glass are nestled into a curving recess in a larger frosted pillow of glass. Each of the two shapes is available in three colors, allowing for a multitude of possible combinations. The soft organic geometry of the Pillow Pendants lends an approachable whimsy; the relationship between the smooth, smaller glass shape inside the concave, frosted outer glass adds an intriguing complexity. Suspended on a brass tube stem.

Socket 220-240V G9 7W Max (LED bulb included)

Standard canopy does NOT accommodate sloped ceilings or swagging of this light. Other canopy options are available at an additional cost. Visit the Accessories page on our website to see available canopy options and review compatibility.

This fixture is compatible with one or more of SkLO customizable multi-pendant canopy systems. Visit the Accessories page on our website to see available systems and review compatibility.

Fixture length:

Fixture includes our field-adjustable Standard Stem Kit (consists of (1) 152mm, (2) 305mm, and (1) 458mm combinable stem sections) – additional Stem Kits are available at additional cost.

Our field-adjustable Extended Stem Kit is available at additional cost (consists of (1) 152mm, (1) 305mm, (1) 458mm, (1) 610mm and (1) 915mm combinable stem sections)

Custom cut-to-order stems (not field-adjustable) available – requires specified OAL (overall drop length) – minimum OAL 270mm (LT235), 330mm (LT236). Lengths over 1340mm (LT235), 1400mm (LT236) available at additional cost

Fixture weights (approximate): 2.5kg (LT235), 4.5kg (LT236)

Handblown glass production results in variation in dimensions, shape, color saturation, color tint, and imperfections such as small bubbles. This is part of SkLO design intent

Made in the Czech Republic

LT235 [---][--]
LT236 [---][--]

Small
Large

Glass colors
Outer/Inner glass

- Clear Frosted/Celadon [CFC]
- Clear Frosted/Light Beige [CFL]
- Clear Frosted/White [CFW]

- Smokey Gray Frosted/Celadon [SGC]
- Smokey Gray Frosted/Light Beige [SGL]
- Smokey Gray Frosted/White [SGW]

- Strawberry Frosted/Celadon [SCE]
- Strawberry Frosted/Light Beige [SLB]
- Strawberry Frosted/White [SWH]

Metal finishes

- Dark Oxidized [DX]
- Brushed Brass [BB]
- Brushed Nickel [BN]
- Polished Nickel [PN]


SkLO

Pillow

SCONCE/CEILING



PILLOW SCONCE/CEILING
Small in smokey gray frosted/light beige, medium in clear frosted/white and large in smokey gray frosted/celadon glass



Lit spheres of glass are nestled into a curving recess in a larger frosted pillow of glass. Each of the two shapes is available in three colors, allowing for a multitude of possible combinations. The soft organic geometry of the Pillow Sconces lends an approachable whimsy; the relationship between the smooth, smaller glass shape inside the concave, frosted outer glass adds an intriguing complexity.

Socket 220-240V G9 7W Max (LED bulb included)

Fixture weights (approximate): 1.5kg (LT230), 2.5kg (LT231), 6.5kg (LT232)

Handblown glass production results in variation in dimensions, shape, color saturation, color tint, and imperfections such as small bubbles. This is part of SkLO design intent

Made in the Czech Republic

LT230 [---][--]
LT231 [---][--]
LT232 [---][--]

Small
Medium
Large

Glass colors
Outer/Inner glass

- Clear Frosted/Celadon [CFC]
- Clear Frosted/Light Beige [CFL]
- Clear Frosted/White [CFW]

- Smokey Gray Frosted/Celadon [SGC]
- Smokey Gray Frosted/Light Beige [SGL]
- Smokey Gray Frosted/White [SGW]

- Strawberry Frosted/Celadon [SCE]
- Strawberry Frosted/Light Beige [SLB]
- Strawberry Frosted/White [SWH]

Metal finishes

- Dark Oxidized [DX]
- Brushed Brass [BB]
- Brushed Nickel [BN]
- Polished Nickel [PN]

SkLO



Prince

PENDANT

SkLO + AvroKO



PRINCE PENDANT
Shown in pastel green/pine tree green glass, brushed brass metal finish



The Prince Pendant gets its look by layering shape, color, and transparency in handblown glass. A curvy double-ellipsoid outer glass diffuser is rendered in transparent colored glass, and it embraces an inner cylindrical diffuser of opaque glass. The opaque glass glows through the vibrant transparent glass. The effect is gorgeous and demure. The pendant stem transitions above the glass into a decorative metal profile. Available in multiple profile options, glass color combinations, and brass hardware finishes. Part of the SkLO + AvroKO collection – a collaboration between SkLO and the AvroKO Partners.

Socket 220-240V G9 7W Max (LED bulb included)

Requires recessed electrical box for installation

Standard canopy does NOT accommodate sloped ceilings or swagging of this light. Other canopy options are available at an additional cost. Visit the Accessories page on our website to see available canopy options and review compatibility

This fixture is compatible with one or more of SkLO customizable multi-pendant canopy systems. Visit the Accessories page on our website to see available systems and review compatibility

Fixture length:

Fixture includes our field-adjustable Standard Stem Kit (consists of (1) 152mm, (2) 305mm, and (1) 458mm combinable stem sections) – additional Stem Kits are available at additional cost

Our field-adjustable Extended Stem Kit is available at additional cost (consists of (1) 152mm, (1) 305mm, (1) 458mm, (1) 610mm and (1) 915mm combinable stem sections)

Custom cut-to-order stems (not field-adjustable) available – requires specified OAL (overall drop length) – minimum OAL 465mm. Lengths over 1535mm available at additional cost

Fixture weight (approximate): 3.5kg

Handblown glass production results in variation in dimensions, shape, color saturation, color tint, and imperfections such as small bubbles. This is part of SkLO design intent

Made in the Czech Republic

LT611 [-----][--] Profile 1
LT612 [-----][--] Profile 2
LT613 [-----][--] Profile 3
LT614 [-----][--] Profile 4
LT615 [-----][--] Profile 5

Glass colors
● Light Beige/Olivin [LBEOLV]
● Pastel Green/Pine Tree Green [PAGPTG]
● White/Smoke [WHTSMK]

Metal finishes
● Antique Brass [AB]
● Dark Oxidized [DX]
● Brushed Brass [BB]



SkLO


Reflect

PENDANT



REFLECT PENDANT

From left: shape 1, shape 2 and shape 3 in brushed brass metal finish, north-american canopy



CE EAC CB IP20

Series of mirror-plated glass pendants in different geometric shapes suspended on rigid brass stems. The glass is mirrored using a unique process that produces an opaque mirror appearance when the light is off but allows light to pass through when on. Each shape has an open mouth at the bottom, the hole ground, and polished. The glass sits on a rest at the end of the stem and lifts to expose the socket for changing the bulb.

Socket 220-240V E27 60W Max (LED bulb included)

Standard canopy does NOT accommodate sloped ceilings or swagging of this light. Other canopy options are available at an additional cost. Visit the Accessories page on our website to see available canopy options and review compatibility

This fixture is compatible with one or more of SkLO customizable multi-pendant canopy systems. Visit the Accessories page on our website to see available systems and review compatibility

Fixture length:

Fixture includes our field-adjustable Standard Stem Kit (consists of (1) 152mm, (2) 305mm, and (1) 458mm combinable stem sections) – additional Stem Kits are available at additional cost


Our field-adjustable Extended Stem Kit is available at additional cost (consists of (1) 152mm, (1) 305mm, (1) 458mm, (1) 610mm and (1) 915mm combinable stem sections)

Custom cut-to-order stems (not field-adjustable) available – requires specified OAL (overall drop length) – minimum OAL 635mm (LT370), 380mm (LT371), 535mm (LT372). Lengths over 1705mm (LT370), 1450mm (LT371), 1605mm (LT372) available at additional cost

Fixture weight (approximate): 7kg

Handblown glass production results in variation in dimensions, shape, color saturation, color tint, and imperfections such as small bubbles. This is part of SkLO design intent

Made in the Czech Republic



LT370SLV [-] Shape 1 ○ Silver Mirror
LT371SLV [-] Shape 2 ○ Silver Mirror
LT372SLV [-] Shape 3 ○ Silver Mirror

Metal finishes
● Dark Oxidized [DX]
● Brushed Brass [BB]
● Brushed Nickel [BN]
○ Polished Nickel [PN]


SkLO

Rest

PENDANT



REST PENDANT
From left: shape 3, shape 2 and shape 1 in brushed brass metal finish



Conical shapes of honed carrara marble that support frosted handblown glass shades. Each is topped with a custom brass finial and suspended on a rigid brass stem. The glass shades have an angular geometry that bevels inward at the bottom. The three unique shapes have different proportions and angles, yet all share the same language, making them natural partners when used in groups within the same space. The pairing of metal, marble and handblown glass give them a classic presence.

Socket 220-240V E27 60W Max (LED bulb included)

Standard canopy does NOT accommodate sloped ceilings or swagging of this light. Other canopy options are available at an additional cost. Visit the Accessories page on our website to see available canopy options and review compatibility

This fixture is compatible with one or more of SkLO customizable multi-pendant canopy systems. Visit the Accessories page on our website to see available systems and review compatibility

Fixture length:

Fixture includes our field-adjustable Standard Stem Kit (consists of (1) 152mm, (2) 305mm, and (1) 458mm combinable stem sections) – additional Stem Kits are available at additional cost

Our field-adjustable Extended Stem Kit is available at additional cost (consists of (1) 152mm, (1) 305mm, (1) 458mm, (1) 610mm and (1) 915mm combinable stem sections)

Custom cut-to-order stems (not field-adjustable) available – requires specified OAL (overall drop length) – minimum OAL 730mm (LT150), 440mm (LT151), 590mm (LT152). Lengths over 1800mm (LT150), 1510mm (LT151), 1660mm (LT152) available at additional cost

Fixture weights (approximate): 6.5kg (LT150), 8.5kg (LT151), 7.5kg (LT152)

Handblown glass production results in variation in dimensions, shape, color saturation, color tint, and imperfections such as small bubbles. This is part of SkLO design intent

Made in the Czech Republic

LT150 [---][--]
LT151 [---][--]
LT152 [---][--]
Shape 1
Shape 2
Shape 3

Glass colors
Plum Frosted [FPL]
Smoke Frosted [FSM]
Whiskey Frosted [FWS]

Metal finishes
Dark Oxidized [DX]
Brushed Brass [BB]
Brushed Nickel [BN]
Polished Nickel [PN]

SkLO


Stem 1X

PENDANT



STEM 1X PENDANT

Shown in 4.5"/110mm white dipped glass, brushed brass metal finish, north-american canopy



CE EAC CB IP20

The Stem 1X Pendants are minimal pendants of diffusers of handblown Czech glass suspended on rigid brass stems. The glass diffusers are available in three shapes and in both "dipped" glass, featuring the SkLO double-dipped flame-polished mouth and "textured" glass, featuring a soft, frosted finish and subtle sculpted vertical ridges.

Socket 220-240V G9 7W Max (LED bulb included)

Standard canopy does NOT accommodate sloped ceilings or swagging of this light. Other canopy options are available at an additional cost. Visit the Accessories page on our website to see available canopy options and review compatibility

This fixture is compatible with one or more of SkLO customizable multi-pendant canopy systems. Visit the Accessories page on our website to see available systems and review compatibility

Fixture length:

Fixture includes our field-adjustable Standard Stem Kit (consists of (1) 152mm, (2) 305mm, and (1) 458mm combinable stem sections) – additional Stem Kits are available at additional cost

Our field-adjustable Extended Stem Kit is available at additional cost (consists of (1) 152mm, (1) 305mm, (1) 458mm, (1) 610mm and (1) 915mm combinable stem sections)

Custom cut-to-order stems (not field-adjustable) available – requires specified OAL (overall drop length) – minimum OAL 300mm (LT310), 370mm (LT312), 290mm (LT313). Lengths over 1370mm (LT310), 1440mm (LT312), 1360mm (LT313) available at additional cost

Fixture weights (approximate): 1.5kg (LT310), 2.3kg (LT312), 1.5kg (LT313)

Handblown glass production results in variation in dimensions, shape, color saturation, color tint, and imperfections such as small bubbles. This is part of SkLO design intent

Made in the Czech Republic

LT310 [---][---]
LT312 [---][---]
LT313 [---][---]

110mm sphere glass
180mm sphere glass
150mm ellipsoid glass

Dipped Glass colors
 Clear [CLR]
 New Blue [NBL]
 Olivin [OLV]
 Smoke [SMK]
 White [WHT]

Textured Glass colors
 Clear [TCL]
 Neutral Gray [NGT]
 Steel Blue [TSB]
 Whiskey [TWS]

Metal finishes
 Dark Oxidized [DX]
 Brushed Brass [BB]
 Brushed Nickel [BN]
 Polished Nickel [PN]

SkLO


Stem 2X

PENDANT



STEM 2X PENDANT

Shown in 4.5"/110mm white dipped glass, brushed brass metal finish, north-american canopy



CE EAC CB IP20

The Stem 2X Pendants are minimal pendants consisting of a pair of 110mm diameter diffusers of handblown Czech glass suspended on rigid brass stems. The glass diffusers are available in both "dipped" glass, featuring the SkLO double-dipped flame-polished mouth and "textured" glass, featuring a soft, frosted finish and subtle sculpted vertical ridges.

Sockets 220-240V G9 7W Max (LED bulbs included)

Standard canopy does NOT accommodate sloped ceilings or swagging of this light. Other canopy options are available at an additional cost. Visit the Accessories page on our website to see available canopy options and review compatibility

This fixture is compatible with one or more of SkLO customizable multi-pendant canopy systems. Visit the Accessories page on our website to see available systems and review compatibility

Fixture length:

Fixture includes our field-adjustable Standard Stem Kit (consists of (1) 152mm, (2) 305mm, and (1) 458mm combinable stem sections) – additional Stem Kits are available at additional cost

Our field-adjustable Extended Stem Kit is available at additional cost (consists of (1) 152mm, (1) 305mm, (1) 458mm, (1) 610mm and (1) 915mm combinable stem sections)

Custom cut-to-order stems (not field-adjustable) available – requires specified OAL (overall drop length) – minimum OAL 230mm. Lengths over 1300mm available at additional cost

Fixture weight (approximate): 2.75kg

Handblown glass production results in variation in dimensions, shape, color saturation, color tint, and imperfections such as small bubbles. This is part of SkLO design intent

Made in the Czech Republic

<p>LT311 [---][--] Stem 2X Pendant</p> <p>Dipped Glass colors</p> <ul style="list-style-type: none"> <input type="radio"/> Clear [CLR] <input type="radio"/> New Blue [NBL] <input type="radio"/> Olivin [OLV] <input type="radio"/> Smoke [SMK] <input type="radio"/> White [WHT] <p>Textured Glass colors</p> <ul style="list-style-type: none"> <input type="radio"/> Clear [TCL] <input type="radio"/> Neutral Gray [NGT] <input type="radio"/> Steel Blue [TSB] <input type="radio"/> Whiskey [TWS] <p>Metal finishes</p> <ul style="list-style-type: none"> <input type="radio"/> Dark Oxidized [DX] <input type="radio"/> Brushed Brass [BB] <input type="radio"/> Brushed Nickel [BN] <input type="radio"/> Polished Nickel [PN]

SkLO


Stem 3X

PENDANT



STEM 3X PENDANT

Shown in smoke dipped glass, brushed brass metal finish, north-american canopy



CE CB IP20

The Stem 3X Pendants are minimal pendants of 3 110mm diameter diffusers of Czech handblown glass mounted on a 3-arm horizontal armature and suspended on rigid brass stems. The glass diffusers are available in both "dipped" glass, featuring the SkLO double-dipped flame-polished mouth and "textured" glass, featuring a soft, frosted finish and subtle sculpted vertical ridges.

Sockets 220-240V G9 7W Max (LED bulbs included)

Standard canopy does NOT accommodate sloped ceilings or swagging of this light. Other canopy options are available at an additional cost. Visit the Accessories page on our website to see available canopy options and review compatibility

This fixture is compatible with one or more of SkLO customizable multi-pendant canopy systems. Visit the Accessories page on our website to see available systems and review compatibility

Fixture length:

Fixture includes our field-adjustable Standard Stem Kit (consists of (1) 152mm, (2) 305mm, and (1) 458mm combinable stem sections) – additional Stem Kits are available at additional cost

Our field-adjustable Extended Stem Kit is available at additional cost (consists of (1) 152mm, (1) 305mm, (1) 458mm, (1) 610mm and (1) 915mm combinable stem sections)

Custom cut-to-order stems (not field-adjustable) available – requires specified OAL (overall drop length) – minimum OAL 230mm. Lengths over 1300mm available at additional cost

Fixture weight (approximate): 4kg

Handblown glass production results in variation in dimensions, shape, color saturation, color tint, and imperfections such as small bubbles. This is part of SkLO design intent

Made in the Czech Republic

LT383 [---][---] Stem 3X Pendant

Dipped Glass colors

- Clear [CLR]
- New Blue [NBL]
- Olivin [OLV]
- Smoke [SMK]
- White [WHT]

Textured Glass colors

- Clear [TCL]
- Neutral Gray [NGT]
- Steel Blue [TSB]
- Whiskey [TWS]


Metal finishes

- Dark Oxidized [DX]
- Brushed Brass [BB]
- Brushed Nickel [BN]
- Polished Nickel [PN]

SkLO

Stem 1X

SCONCE/CEILING



STEM 1X SCONCE/CEILING

Clockwise: clear/brushed brass, new blue/dark oxidized, white/brushed brass, smoke/dark oxidized, all 4.5"/110mm dipped glass

- 170mm -



LT271

— 235mm —



LT241

- 150mm -



LT315

CE EAC CB IP20

The Stem 1X Sconce/Ceiling is a minimal light suitable for use as a ceiling light or wall light. It consists of a single diffuser of handblown Czech glass on a simple brass socket and canopy. The glass diffusers are available in three shapes and in both "dipped" glass, featuring the SkLO double-dipped flame-polished mouth and "textured" glass, featuring a soft, frosted finish and subtle sculpted vertical ridges.

Socket 220-240V G9 7W Max (LED bulb included)

Fixture weight (approximate): 1.5kg

Handblown glass production results in variation in dimensions, shape, color saturation, color tint, and imperfections such as small bubbles. This is part of SkLO design intent

Made in the Czech Republic

LT271 [---][---]

110mm sphere glass

LT241 [---][---]

180mm sphere glass

LT315 [---][---]

150mm ellipsoid glass

Dipped Glass colors

- Clear [CLR]
- New Blue [NBL]
- Olivin [OLV]
- Smoke [SMK]
- White [WHT]

Textured Glass colors

- Clear [TCL]
- Neutral Gray [NGT]
- Steel Blue [TSB]
- Whiskey [TWS]

Metal finishes

- Dark Oxidized [DX]
- Brushed Brass [BB]
- Brushed Nickel [BN]
- Polished Nickel [PN]



152

Copyright © December 2025 sklo.com

sklo.com/stem1X-sconce-ceiling




153

Copyright © December 2025 sklo.com

SkLO
Stem 2X
SCONCE/CEILING



STEM 2X SCONCE/CEILING
Shown in white dipped glass, brushed brass metal finish, north-american canopy



CE EAC CB IP20

The Stem 2X Sconce/Ceiling is a minimal light consisting of a pair of 110mm diameter diffusers of handblown Czech glass on a simple symmetrical brass armature. Suitable for use as a ceiling light or as a wall light. The glass diffusers are available in both "dipped" glass, featuring the SkLO double-dipped flame-polished mouth and "textured" glass, featuring a soft, frosted finish and subtle sculpted vertical ridges.

Sockets 220-240V G9 7W Max (LED bulbs included)

Fixture weight (approximate): 2.75kg

Handblown glass production results in variation in dimensions, shape, color saturation, color tint, and imperfections such as small bubbles. This is part of SkLO design intent

Made in the Czech Republic

LT270 [---][-]
Stem 2X Sconce/Ceiling

Dipped Glass colors
 Clear [CLR]
 New Blue [NBL]
 Olivin [OLV]
 Smoke [SMK]
 White [WHT]


Textured Glass colors
 Clear [TCL]
 Neutral Gray [NGT]
 Steel Blue [TSB]
 Whiskey [TWS]

Metal finishes
 Dark Oxidized [DX]
 Brushed Brass [BB]
 Brushed Nickel [BN]
 Polished Nickel [PN]

SkLO
Stem 3X
SCONCE/CEILING



STEM 3X SCONCE/CEILING
Shown in new blue dipped glass, dark oxidized metal finish, north-american canopy



CE EAC CB IP20

The Stem 3X Sconce/Ceiling is a minimal light consisting of 3 110mm diameter diffusers of handblown Czech glass on a 3-arm brass structure. Suitable for use as a ceiling light or as a wall light. The glass diffusers are available in both "dipped" glass, featuring the SkLO double-dipped flame-polished mouth and "textured" glass, featuring a soft, frosted finish and subtle sculpted vertical ridges.

Sockets 220-240V G9 7W Max (LED bulbs included)

Fixture weight (approximate): 4kg

Handblown glass production results in variation in dimensions, shape, color saturation, color tint, and imperfections such as small bubbles. This is part of SkLO design intent

Made in the Czech Republic

LT381 [---][--] Stem 3X Sconce/Ceiling

Dipped Glass colors

- Clear [CLR]
- New Blue [NBL]
- Olivin [OLV]
- Smoke [SMK]
- White [WHT]

Textured Glass colors

- Clear [TCL]
- Neutral Gray [NGT]
- Steel Blue [TSB]
- Whiskey [TWS]

Metal finishes

- Dark Oxidized [DX]
- Brushed Brass [BB]
- Brushed Nickel [BN]
- Polished Nickel [PN]

SkLO
Stem 1X
 TABLE LIGHT




STEM 1X TABLE LIGHT
 Shown in olivin dipped glass, brushed brass metal finish



158

Copyright © December 2025 sklo.com



CE EAC CB IP20

The Stem 1X Table Light is a minimal design featuring a single, 110mm diameter diffuser of handblown Czech glass on a brass stem and base. The glass diffusers are available in both "dipped" glass, featuring the SkLO double-dipped flame-polished mouth and "textured" glass, featuring a soft, frosted finish and subtle sculpted vertical ridges.

Socket 220-240V G9 7W Max (LED bulb included)

1830mm black fabric-wrapped cord with in-line switch

Handblown glass production results in variation in dimensions, shape, color saturation, color tint, and imperfections such as small bubbles. This is part of SkLO design intent

Made in the Czech Republic

LT272 [---][-]
 Stem 1X Table Light

Dipped Glass colors
 Clear [CLR]
 New Blue [NBL]
 Olivin [OLV]
 Smoke [SMK]
 White [WHT]

Textured Glass colors
 Clear [TCL]
 Neutral Gray [NGT]
 Steel Blue [TSB]
 Whiskey [TWS]

Metal finishes
 Dark Oxidized [DX]
 Brushed Brass [BB]
 Brushed Nickel [BN]
 Polished Nickel [PN]

sklo.com/stem1X-tablelight




159

Copyright © December 2025 sklo.com

SkLO
Stem 2X
TABLE LIGHT



STEM 2X TABLE LIGHT
Shown in white dipped glass, brushed brass metal finish



CE EAC CB IP20

The Stem 2X Table Light is a minimalist design consisting of a pair of 110mm diameter diffusers of handblown Czech glass on a symmetrical armature atop a brass stem and base. The glass diffusers are available in both "dipped" glass, featuring the SkLO double-dipped flame-polished mouth and "textured" glass, featuring a soft, frosted finish and subtle sculpted vertical ridges.

Sockets 220-240V G9 7W Max (LED bulbs included)

1830mm black fabric-wrapped cord with in-line switch

Handblown glass production results in variation in dimensions, shape, color saturation, color tint, and imperfections such as small bubbles. This is part of SkLO design intent

Made in the Czech Republic

LT273 [---][--] Stem 2X Table Light

Dipped Glass colors

- Clear [CLR]
- New Blue [NBL]
- Olivin [OLV]
- Smoke [SMK]
- White [WHT]

Textured Glass colors


- Clear [TCL]
- Neutral Gray [NGT]
- Steel Blue [TSB]
- Whiskey [TWS]

Metal finishes

- Dark Oxidized [DX]
- Brushed Brass [BB]
- Brushed Nickel [BN]
- Polished Nickel [PN]



TWICE LIGHT
Shown in white glass, brushed brass metal finish



CE EAC CB IP20

The Twice Light consists of two lit diffusers of handblown Czech glass connected by a cylindrical brass armature. Two diffusers of different diameters make for an asymmetrical light, and they can be ordered in either the same glass color for a monochrome look, or the diffusers can be two different glass colors. A brass ring is included with the light and used under the large diffuser to stabilize the light. The glass diffusers feature the signature SkLO double-dipped, fire-polished mouths which show where the glass is broken from the blower's pipe, making each piece unique.

Sockets 220-240V G9 7W Max (LED bulbs included)

1830mm black fabric-wrapped cord with in-line switch

Handblown glass production results in variation in dimensions, shape, color saturation, color tint, and imperfections such as small bubbles. This is part of SkLO design intent

Made in the Czech Republic

LT190 [-----][--] Twice Light

Dipped Glass colors

- Clear [CLR]
- New Blue [NBL]
- Olivin [OLV]
- Smoke [SMK]
- White [WHT]


Metal finishes

- Dark Oxidized [DX]
- Brushed Brass [BB]
- Brushed Nickel [BN]
- Polished Nickel [PN]

SkLO
Twin 1.0
SCONCE



TWIN 1.0 SCONCE
Shown in celadon/new blue glass, dark oxidized metal finish



CE EAC CB IP20

The Twin 1.0 Sconce features a two-tone diffuser of handblown Czech glass made up of two flattened spherical shapes in two colors which are melded together while hot on the glass blowing pipe. The glass is held to a solid brass plate canopy by a brass band that sits between the two spheres. Each sphere is lit from within by its bulb, one in each sphere. For wall use only – for ceiling applications see the Twin 2.0 Sconce/Ceiling Light. It is strongly recommended that the Twin 1.0 Sconce only be installed in the vertical orientation as shown.

Sockets 220-240V G9 7W Max (LED bulbs included)

Requires recessed electrical box or other provision to safely make the electrical connections, see installation instructions for more details

Fixture weight (approximate): 2.75kg

Handblown glass production results in variation in dimensions, shape, color saturation, color tint, and imperfections such as small bubbles. This is part of SkLO design intent

Made in the Czech Republic

LTM06 [-----][--] Twin 1.0 Sconce

Glass colors

- Apricot/Flamingo [APRFLA]
- Celadon/New Blue [CELNBL]
- Light Beige/White [LBEWHT]
- Linden Tree Green/Pastel Green [LTGPAG]
- Oyster/White [OYSWHT]
- White/White [WHTWHT]

Metal finishes

- Dark Oxidized [DX]
- Brushed Brass [BB]
- Brushed Nickel [BN]
- Polished Nickel [PN]

SkLO
Twin 2.0
SCONCE/CEILING




TWIN 2.0 SCONCE/CEILING
Shown in light beige/white glass, brushed brass metal finish



166

Copyright © December 2025 sklo.com



CE EAC CB IP20

The Twin 2.0 Sconce/Ceiling features a two-tone diffuser of handblown Czech glass made up of two flattened spherical shapes in two colors which are melded together while hot on the glass blowing pipe. The glass is held to a solid brass canopy by a brass band that sits between the two spheres. Each sphere is lit from within by its bulb, one in each sphere.

Sockets 220-240V G9 7W Max (LED bulbs included)

Fixture weight (approximate): 4.5kg

Handblown glass production results in variation in dimensions, shape, color saturation, color tint, and imperfections such as small bubbles. This is part of SkLO design intent

Made in the Czech Republic

LTM08 [-----][-] Twin 2.0 Sconce/Ceiling

Glass colors

- Apricot/Flamingo [APRFLA]
- Celadon/New Blue [CELNBL]
- Light Beige/White [LBEWHT]
- Linden Tree Green/Pastel Green [LTGPAG]
- Oyster/White [OYSWHT]
- White/White [WHTWHT]

Metal finishes


- Dark Oxidized [DX]
- Brushed Brass [BB]
- Brushed Nickel [BN]
- Polished Nickel [PN]



SkLO
Twin 3.0
PENDANT



TWIN 3.0 PENDANT
Shown in oyster/white glass, brushed brass metal finish, black cord



CE EAC CB IP20

A two-tone diffuser of handblown Czech glass made up of two flattened spherical shapes in two colors which are melded together while hot on the glass blower's pipe. The glass is held to a solid brass canopy by a brass band that sits at the "waist" between the two spheres. Each sphere is lit from within by its own bulb, one in each sphere. Suspended on two fabric-wrapped electrical cords from a canopy whose shape mimics the geometry of the pendant itself.

Sockets 220-240V G9 7W Max (LED bulbs included)

Accommodates sloped ceilings

Standard cord length 3050mm – field adjustable – longer lengths available at additional cost

Fixture weight (approximate): 4.5kg

Handblown glass production results in variation in dimensions, shape, color saturation, color tint, and imperfections such as small bubbles. This is part of SkLO design intent

Made in the Czech Republic

LTM09 [-----][-] Twin 3.0 Pendant

Glass colors

- Apricot/Flamingo [APRFLA]
- Celadon/New Blue [CELNBL]
- Light Beige/White [LBEWHT]
- Linden Tree Green/Pastel Green [LTGPAG]
- Oyster/White [OYSWHT]
- White/White [WHTWHT]

Metal finishes

- Dark Oxidized [DX]
- Brushed Brass [BB]
- Brushed Nickel [BN]
- Polished Nickel [PN]

Cord colors

- Black
- Blue
- Gold
- Gray


SkLO

Twin 4.0

PENDANT



TWIN 4.0 PENDANT
Shown in linden tree green/pastel green glass, brushed brass metal finish



CE EAC CB IP20

A two-tone diffuser of handblown Czech glass made up of two flattened spherical shapes in two colors which are melded together while hot on the glass blower's pipe. The glass is held to a solid brass canopy by a brass band that sits at the "waist" between the two spheres. Each sphere is lit from within by its own bulb, one in each sphere. Suspended on two rigid brass tube stems from a canopy whose shape mimics the geometry of the pendant itself.

Sockets 220-240V G9 7W Max (LED bulbs included)

Does not accommodate sloped ceilings

Fixture length:

Fixture includes our field-adjustable Standard Stem Kit (consists of (1) 152mm, (2) 305mm, and (1) 458mm combinable stem sections) – additional Stem Kits are available at additional cost

Our field-adjustable Extended Stem Kit is available at additional cost (consists of (1) 152mm, (1) 305mm, (1) 458mm, (1) 610mm and (1) 915mm combinable stem sections)

Custom cut-to-order stems (not field-adjustable) available – requires specified OAL (overall drop length) – minimum OAL 280mm. Lengths over 1350mm available at additional cost

Fixture weight (approximate): 5.5kg

Handblown glass production results in variation in dimensions, shape, color saturation, color tint, and imperfections such as small bubbles. This is part of SkLO design intent

Made in the Czech Republic

LTM10 [-----][--] Twin 4.0 Pendant

Glass colors

- Apricot/Flamingo [APRFLA]
- Celadon/New Blue [CELNBL]
- Light Beige/White [LBEWHT]
- Linden Tree Green/Pastel Green [LTGPAG]
- Oyster/White [OYSWHT]
- White/White [WHTWHT]

Metal finishes

- Dark Oxidized [DX]
- Brushed Brass [BB]
- Brushed Nickel [BN]
- Polished Nickel [PN]

SkLO

Union


PENDANT

SkLO + AvroKO



UNION PENDANT

Shown in light beige/olivin glass, dark oxidized metal finish



The designs of the Union lighting series combine upward- and downward-oriented glass dome shapes of different proportions in carefully curated palettes that mix color, transparency, and texture. The Union Pendant is the largest of the series, composed of three different glass colors and textures. The lower part of the pendant houses its light source within a long, narrow, opaque glass dome, which is itself enclosed within a larger transparent glass dome. Above the detailed brass hardware transition sits a smaller, upward-facing dome of frosted glass. The color palettes are carefully curated to be both compelling and stately. Available in multiple glass color combinations, and brass hardware finishes. Part of the SkLO + AvroKO collection – a collaboration between SkLO and the AvroKO Partners.

Socket 220-240V G9 7W Max (LED bulb included)

Requires recessed electrical box for installation

Standard canopy does NOT accommodate sloped ceilings or swagging of this light. Other canopy options are available at an additional cost. Visit the Accessories page on our website to see available canopy options and review compatibility

This fixture is compatible with one or more of SkLO customizable multi-pendant canopy systems. Visit the Accessories page on our website to see available systems and review compatibility

Fixture length:

Fixture includes our field-adjustable Standard Stem Kit (consists of (1) 152mm, (2) 305mm, and (1) 458mm combinable stem sections) – additional Stem Kits are available at additional cost

Our field-adjustable Extended Stem Kit is available at additional cost (consists of (1) 152mm, (1) 305mm, (1) 458mm, (1) 610mm and (1) 915mm combinable stem sections)

Custom cut-to-order stems (not field-adjustable) available – requires specified OAL (overall drop length) – minimum OAL 685mm. Lengths over 1755mm available at additional cost

Fixture weight (approximate): 4kg

Handblown glass production results in variation in dimensions, shape, color saturation, color tint, and imperfections such as small bubbles. This is part of SkLO design intent

Made in the Czech Republic

LT632 [-----][--] Union Pendant

Glass colors

- Light Beige/Olivin [LBEOLV]
- Pastel Green/Pine Tree Green [PAGPTG]
- White/Smoke [WHTSMK]

Metal finishes

- Antique Brass [AB]
- Dark Oxidized [DX]
- Brushed Brass [BB]

SkLO


Union Small

PENDANT

SkLO + AvroKO



UNION SMALL PENDANT
Shown in pastel green/pine tree green frosted glass, antique brass metal finish



The designs of the Union lighting series combine upward- and downward-oriented glass dome shapes of different proportions in carefully curated palettes that mix color, transparency, and texture. The Union Small Pendant combines a long, narrow, lit dome of opaque glass on the lower half with a smaller, upward-facing dome of frosted glass. The two domes are separated by a brass element featuring classic detailing. It is an exercise in contrasts, offering a meaningful presence despite its size. Available in multiple glass color combinations, and brass hardware finishes. Part of the SkLO + AvroKO collection – a collaboration between SkLO and the AvroKO Partners.

Socket 220-240V G9 7W Max (LED bulb included)

Requires recessed electrical box for installation

Standard canopy does NOT accommodate sloped ceilings or swagging of this light. Other canopy options are available at an additional cost. Visit the Accessories page on our website to see available canopy options and review compatibility

This fixture is compatible with one or more of SkLO customizable multi-pendant canopy systems. Visit the Accessories page on our website to see available systems and review compatibility

Fixture length:

Fixture includes our field-adjustable Standard Stem Kit (consists of (1) 152mm, (2) 305mm, and (1) 458mm combinable stem sections) – additional Stem Kits are available at additional cost

Our field-adjustable Extended Stem Kit is available at additional cost (consists of (1) 152mm, (1) 305mm, (1) 458mm, (1) 610mm and (1) 915mm combinable stem sections)

Custom cut-to-order stems (not field-adjustable) available – requires specified OAL (overall drop length) – minimum OAL 615mm. Lengths over 1685mm available at additional cost

Fixture weight (approximate): 2.75kg

Handblown glass production results in variation in dimensions, shape, color saturation, color tint, and imperfections such as small bubbles. This is part of SkLO design intent

Made in the Czech Republic

LT631 [-----][-] Union Small Pendant

Glass colors

- Light Beige/Olivin Frosted [LBEFOL]
- Pastel Green/Pine Tree Green Frosted [PAGFPG]
- White/Smoke Frosted [WHTFSM]

Metal finishes

- Antique Brass [AB]
- Dark Oxidized [DX]
- Brushed Brass [BB]


SkLO Union

SCONCE

SkLO + AvroKO



UNION SCONCE
Shown in white/smoke frosted glass, brushed brass metal finish



The designs of the Union lighting series combine upward- and downward-oriented glass dome shapes of different proportions in carefully curated palettes that mix color, transparency, and texture. The Union Sconce combines a long, narrow, lit dome of opaque glass on the lower half with a smaller, upward-facing dome of frosted glass. The two domes are separated by a brass element featuring classic detailing. The Union Sconce offers a meaningful presence in a modest package. Available in multiple glass color combinations, and brass hardware finishes. Part of the SkLO + AvroKO collection – a collaboration between SkLO and the AvroKO Partners.

Socket 220-240V G9 7W Max (LED bulb included)

Requires recessed electrical box for installation

Fixture weight (approximate): 2.3kg

Handblown glass production results in variation in dimensions, shape, color saturation, color tint, and imperfections such as small bubbles. This is part of SkLO design intent

Made in the Czech Republic

LT630 [-----] Union Sconce

Glass colors

- Light Beige/Olivin Frosted [LBEFOL]
- Pastel Green/Pine Green Frosted [PAGFPG]
- White/Smoke Frosted [WHTFSM]

Metal finishes

- Antique Brass [AB]
- Dark Oxidized [DX]
- Brushed Brass [BB]



176

Copyright © December 2025 sklo.com

sklo.com/union-sconce




177

Copyright © December 2025 sklo.com



VEER LIGHT
Shown in white glass, brushed brass metal finish



CE EAC CB IP20

The Veer Light consists of four diffusers of handblown Czech glass on a brass armature. Three of the diffusers are 180mm in diameter, and the fourth is 250mm in diameter. The glass diffusers feature the signature SkLO double-dipped, fire-polished mouths which show where the glass is broken from the blower's pipe, making each unique.

Sockets 220-240V G9 7W Max (LED bulbs included)

1830mm black fabric-wrapped cord with in-line switch

Handblown glass production results in variation in dimensions, shape, color saturation, color tint, and imperfections such as small bubbles. This is part of SkLO design intent

Made in the Czech Republic

LT380 [---]--

Veer Light

Glass colors

- Clear [CLR]
- New Blue [NBL]
- Olivin [OLV]
- Smoke [SMK]
- White [WHT]

Metal finishes

- Dark Oxidized [DX]
- Brushed Brass [BB]
- Brushed Nickel [BN]
- Polished Nickel [PN]

SkLO


Veer

PENDANT



VEER PENDANT

Shown in 7"/180mm white dipped glass, brushed brass metal finish



CE EAC CB IP20

The Veer Pendant consists of 4 diffusers of handblown Czech glass mounted on a 4-arm brass structure and suspended on a rigid brass stem. The glass diffusers are available in three shapes and in both "dipped" glass, featuring the SkLO double-dipped flame-polished mouth and "textured" glass, featuring a soft, frosted finish and subtle sculpted vertical ridges.

Sockets 220-240V G9 7W Max (LED bulbs included)

Standard canopy does NOT accommodate sloped ceilings or swagging of this light. Other canopy options are available at an additional cost. Visit the Accessories page on our website to see available canopy options and review compatibility

This fixture is compatible with one or more of SkLO customizable multi-pendant canopy systems. Visit the Accessories page on our website to see available systems and review compatibility

Fixture length:

Fixture includes our field-adjustable Standard Stem Kit (consists of (1) 152mm, (2) 305mm, and (1) 458mm combinable stem sections) – additional Stem Kits are available at additional cost

Our field-adjustable Extended Stem Kit is available at additional cost (consists of (1) 152mm, (1) 305mm, (1) 458mm, (1) 610mm and (1) 915mm combinable stem sections)

Custom cut-to-order stems (not field-adjustable) available – requires specified OAL (overall drop length) – minimum OAL 340mm (LT385), 400mm (LT386), 330mm (LT387). Lengths over 1410mm (LT385), 1470mm (LT386), 1400mm (LT387) available at additional cost

Fixture weights (approximate): 7kg (LT385), 9kg (LT386), 7kg (LT387)

Handblown glass production results in variation in dimensions, shape, color saturation, color tint, and imperfections such as small bubbles. This is part of SkLO design intent

Made in the Czech Republic

LT385 [---][-]
LT386 [---][-]
LT387 [---][-]
110mm sphere glass
180mm sphere glass
150mm ellipsoid glass

Dipped Glass colors
○ Clear [CLR]
○ New Blue [NBL]
○ Olivin [OLV]
● Smoke [SMK]
○ White [WHT]

Textured Glass colors
○ Clear [TCL]
○ Neutral Gray [NGT]
● Steel Blue [TSB]
○ Whiskey [TWS]

Metal finishes
● Dark Oxidized [DX]
○ Brushed Brass [BB]
○ Brushed Nickel [BN]
○ Polished Nickel [PN]

SkLO


Wrap

PENDANT



WRAP PENDANT

Shown in smoke glass, dark oxidized metal finish, black cord



CE EAC CB IP20

Our signature SkLO Large Wrap, a continuous wound length of a handblown Czech glass tube, is transformed into a pendant. Suspended on a hand-tied length of fabric-wrapped electrical cord. The socket is also suspended on a matching intertwined length of fabric-wrapped electrical cord and allows the light bulb to be nestled within the glass element.

Socket 220-240V E14 25W Max (LED bulb included)

Accommodates sloped ceilings

This fixture is compatible with one or more of SkLO customizable multi-pendant canopy systems. Visit the Accessories page on our website to see available systems and review compatibility.

Specify overall drop length – not field adjustable

Minimum overall drop length: 660mm

Lengths over 1220mm available at additional cost

Fixture weight (approximate): 3kg

Handblown glass production results in variation in dimensions, shape, color saturation, color tint, and imperfections such as small bubbles. This is part of SkLO design intent

Made in the Czech Republic

LT120 [---][-]

Wrap Pendant

Glass colors

- Amber [AMB]
- Clear [CLR]
- Gray [GRY]
- New Blue [NBL]
- Silver Mirror [SLV]
- Smoke [SMK]
- Steel Blue [SBL]
- White [WHT]

Metal finishes

- Dark Oxidized [DX]
- Brushed Brass [BB]
- Brushed Nickel [BN]
- Polished Nickel [PN]

Cord colors

- Black
- Blue
- Gold
- Gray



WRAP PIN PENDANT


SkLO

Wrap Pin 1.09

PENDANT



WRAP PIN 1.09/WRAP PIN 1.21 PENDANT
Shown in white glass, brushed brass metal finish, black cord, north-american canopies



CE EAC CB IP20

Our signature SkLO Large Wrap, a continuous wound length of the handblown Czech glass tube, is featured on the Wrap Pin Pendant. The glass element hangs from a brass "pin" element, made of a continuous ribbon of a brass bar, which opens and closes to allow for removal of the glass. The brass socket is suspended on an exposed fabric-wrapped electrical cord from the top of the "pin" and suspends the light bulb within the opening at the top of the glass.

Socket 220-240V E14 25W Max (LED bulb included)

Standard canopy does NOT accommodate sloped ceilings or swagging of this light. Other canopy options are available at an additional cost. Visit the Accessories page on our website to see available canopy options and review compatibility.

This fixture is compatible with one or more of SkLO customizable multi-pendant canopy systems. Visit the Accessories page on our website to see available systems and review compatibility.

Fixture length:

Fixture includes our field-adjustable Standard Stem Kit (consists of (1) 152mm, (2) 305mm, and (1) 458mm combinable stem sections) – additional Stem Kits are available at additional cost.

Our field-adjustable Extended Stem Kit is available at additional cost (consists of (1) 152mm, (1) 305mm, (1) 458mm, (1) 610mm and (1) 915mm combinable stem sections).

Custom cut-to-order stems (not field-adjustable) available – requires specified OAL (overall drop length) – minimum OAL 640mm. Lengths over 1710mm available at additional cost.

Fixture weight (approximate): 3kg

Handblown glass production results in variation in dimensions, shape, color saturation, color tint, and imperfections such as small bubbles. This is part of SkLO design intent.

Made in the Czech Republic

LT127 [---][-] Wrap Pin 1.09 Pendant

Glass colors

- Amber [AMB]
- Clear [CLR]
- Gray [GRY]
- New Blue [NBL]
- Silver Mirror [SLV]
- Smoke [SMK]
- Steel Blue [SBL]
- White [WHT]

Metal finishes

- Dark Oxidized [DX]
- Brushed Brass [BB]
- Brushed Nickel [BN]
- Polished Nickel [PN]

Cord colors

- Black
- Blue
- Gold
- Gray



SkLO


Wrap Pin 1.21

PENDANT



WRAP PIN 1.21 PENDANT

Shown in clear glass, brushed brass metal finish, gold cord, north-american canopy



CE EAC CB IP20

Our signature SkLO Large Wrap, a continuous wound length of the handblown Czech glass tube, is featured on the Wrap Pin Pendant. The glass element hangs from a brass "pin" element, made of a continuous ribbon of a brass bar, which opens and closes to allow for removal of the glass. The brass socket is suspended on an exposed fabric-wrapped electrical cord from the top of the "pin" and suspends the light bulb within the opening at the top of the glass.

Socket 220-240V E14 25W Max (LED bulb included)

Accommodates sloped ceilings

Standard canopy does NOT accommodate sloped ceilings or swagging of this light. Other canopy options are available at an additional cost. Visit the Accessories page on our website to see available canopy options and review compatibility

This fixture is compatible with one or more of SkLO customizable multi-pendant canopy systems. Visit the Accessories page on our website to see available systems and review compatibility

Fixture length:

Fixture includes our field-adjustable Standard Stem Kit (consists of (1) 152mm, (2) 305mm, and (1) 458mm combinable stem sections) – additional Stem Kits are available at additional cost

Our field-adjustable Extended Stem Kit is available at additional cost (consists of (1) 152mm, (1) 305mm, (1) 458mm, (1) 610mm and (1) 915mm combinable stem sections)

Custom cut-to-order stems (not field-adjustable) available – requires specified OAL (overall drop length) – minimum OAL 900mm. Lengths over 1970mm available at additional cost

Fixture weight (approximate): 3.5kg

Handblown glass production results in variation in dimensions, shape, color saturation, color tint, and imperfections such as small bubbles. This is part of SkLO design intent

Made in the Czech Republic

LT126 [---][--]

Wrap Pin 1.21 Pendant

Glass colors

- Amber [AMB]
- Clear [CLR]
- Gray [GRY]
- New Blue [NBL]
- Silver Mirror [SLV]
- Smoke [SMK]
- Steel Blue [SBL]
- White [WHT]

Metal finishes

- Dark Oxidized [DX]
- Brushed Brass [BB]
- Brushed Nickel [BN]
- Polished Nickel [PN]

Cord colors

- Black
- Blue
- Gold
- Gray



SkLO ships worldwide from the Czech Republic

Inquiries:

SkLO EU eu@sklo.com

SkLO US us@sklo.com

www.sklo.com

SkLO

sklo.com

SKLO US 115 WEST NORTH STREET HEALDSBURG CALIFORNIA 95448 USA +1.707.385.2101 us@sklo.com
SKLO EU BRATŘÍ ŠTEFANŮ 902/71 500 03 HRADEC KRÁLOVÉ CZECH REPUBLIC +420.495.542.071 eu@sklo.com